LB's of VA Trailer Sales

Phone: +15404641006
486 Maury River Rd
Lexington, Virginia
Email: lbsofvatrailers@gmail.com



2026 NXG XSB

Type	Trailer or Truck Bed	**Category**	Truck Bed
Stock#	NXGXSB	**Location**	LB's of VA Trailer Sales
Year	2026	**Status**	Available
Condition	New	**Manufacturer**	NXG Truck Bodies
Model	XSB		
Color	Black	**Construction**	Steel

https://lbstrailer.com/unit/2026-nxg-xsb-1041141

Call for Price

Description

Available Lengths
84", 8'6", 9'4", 11'4"
XCoat
NXG's proprietary multi-stage cleaning and powder coating system delivers unmatched corrosion resistance and a professional, durable finish built for harsh environments

XRack
Fully integrated headache rack system, built into the body-not bolted on-with precision 3" x4" steel tubing, mandrel bends, and built-in Xlights with strobe capability for job-site safety
XDeck
Fully recessed 1 /8" steel tread plate deck maximizes cargo space and eliminates exposed edges, protecting against wear and corrosion
XHitch
Frame-integrated towing system with 30,000?lb gooseneck, 24,500?lb receiver, upright safety chain keepers, pre-wired electrical connections, and an emergency breakaway loop for the safest towing experience in the industry
Side Rails
3/8"?×?2" formed steel rub rails with integrated stake pockets and tie-down compatibility
Fuel Fill
Angled, corrosion-resistant design improves flow, reduces splashback, and features standard rear-facing location for easier fueling
Trailer Light Plug
Automotive-grade seven-way/four-way 12-volt electrical hookup for reliable trailer connections
Marker Lighting
DOT-approved LED bullet lights for road-ready visibility
Toolboxes
Four lockable flush-mounted, bolt in toolboxes with bulb weatherstripping for maximum sealing and corrosion protection
Toolbox Handles
Black T-handle compression latches, all keyed alike for convenience and security
Fenders
Heavy-duty steel radius fenders for lasting durability
Side Steps
NXG XSteps in front of and behind fenders, plus rear step for unmatched bed access
Frame Rails
4” structural channel steel
Crossmembers
3" roll-formed steel for superior deck support and load capacity
Rear Skirt
One-piece formed steel with tapered corners for improved turning clearance
Gooseneck Hitch
XHitch rated at 30,000 lbs
Receiver Hitch
XHitch rated at 25,000 lbs with 2.5” receiver

Features

- Exterior Features
    - D-Ring Installed
    - Powder Coated Paint
    - Side Rails
    - Side Stake Pockets
- Safety Convenience & Electrical
    - 7Way Plug
    - DOT Approved Lighting
    - Insulated Wire Harness

- Structural Features
    - Channel Crossmembers