Detro Trailers - Bainbridge

Phone: +17655226277
7080 N. US Highway 231
Bainbridge, Indiana
Email: tony@detrotrailers.com



2026 Impact Trailers 6 x 10 3K Quake Ramp Door Flat Top V-Nose

Type	Trailer or Truck Bed	**Category**	Cargo / Enclosed Trailer
Stock#	143926	**VIN**	5JWVE1019TB143926
Location	Detro Trailers - Bainbridge	**Year**	2026
Status	Available	**Condition**	New
Manufacturer	Impact Trailers	**Model**	KI-DX7210-030
Floor Length	117in / 9ft 9in	**Floor Width**	69in / 5ft 9in
Floor Height	18in / 1ft 6in	**GVWR**	2990
Weight	1180	**Payload Capacity**	1810
Axle Capacity	3500		

Color	Silver	**Wheels**	15", 5-Lug Black Aluminum
Coupler	2" BALL	**Jack**	2K Coupler Mounted
Pull Type	Bumper	**Axles**	1
Suspension Type	Leaf Spring Suspension	**Msrp**	4950
Construction	Composite	**Nose Type**	V Front
Roof Type	FLAT TOP Seamless Aluminum	**Warranty**	3-YEAR FACTORY LIMITED
Length	170in / 14ft 2in	**Lights**	Full LED, DOT Compliant
Tires	ST205/75R15C 6-PLY	**Height**	99in / 8ft 3in
Width	83in / 6ft 11in	**Side Wall Height**	78in / 6ft 6in
Gate	150 Series with Assist	**Floor**	3/4" Engineered Wood
Frame	4" x 2" Steel Tube		

https://www.detrotrailers.com/unit/2026-impact-trailers-6-x-10-3k-quake-ramp-door-flat-top-v-nose-1061324

Price: $4,575.00

MSRP: $4,950.00

Description

- BLACK ALUMINUM WHEELS
- RAMP DOOR
- REAR FLARE WITH (2) LOADING LIGHTS
- (4) INSTALLED D-RINGS

Quake Cargo Trailer
Quake Cargo Trailers are engineered for durability, style, and dependable performance. This enclosed cargo trailer delivers commercial-grade strength with a sleek exterior that’s built to last. From the bonded sidewalls to the undercoated frame, every detail is designed to protect your cargo mile after mile.
Key Benefits
Tube Steel Wall Studs and Roof Bows — Strength Where it Counts
Unlike stamped or formed framing, our tube steel construction resists flexing and cracking for superior long-term durability.
Automotive Undercoat — Built for the Road
Protects the trailer frame from corrosion and wear, keeping it strong through rough conditions and daily use.
VHB-Bonded Field with Color Matching Seam Screws — Seamless Exterior Look

Combines high-strength bonding with clean, consistent visuals for a smooth, professional appearance.

Engineered Wood Floors and Walls — Dependable Load Support

Engineered panels provide enhanced structural integrity and resist warping or delamination over time.

Why Choose an Impact Quake Cargo Trailer?

Built to Haul Hard

Quake Cargo Trailers are built for serious work—jobsite tough and road ready. The fully enclosed design shields your cargo from the elements, while commercial-grade construction stands up to the grind. It’s a cargo trailer that works as hard as you do and doesn’t quit when the road gets rough.

Purpose-Driven Utility

From contractors to outdoor pros, this enclosed cargo trailer adapts to whatever you throw its way. It’s perfect for tools, gear, or supplies—and it’s built to keep it all protected and secure, whether you're heading to a jobsite or a weekend destination.

Smart Construction, Tough Materials

Every part of the Quake is selected for long-term performance. Tube steel framing brings unmatched structural strength, while automotive undercoating defends against road wear. The engineered wood interior resists warping, and the VHB-bonded exterior gives the trailer a clean, high-end finish.

Confidence on Every Run

When you tow a Quake, you're hauling with confidence. You’re not just getting a trailer—you’re investing in durability, dependability, and a professional-grade look that lasts. Fewer repairs, less downtime, and more time getting the job done right.

Rear Opening Height - 74"
Width Interior - 69"
Width Rear Opening - 65.5"
Axle - 3500 lb. Drop Spring Idler
Ceiling - Lauan Strip
Connector Plug - Flat 4-pin
Coupler - 2" A-Frame
Crossmembers - Formed Steel, 24" On-Center
Exterior Fastening - Color Matching Screws on Seams (std colors only), Semi-Screwless Sidewalls
Exterior Finish - .080" Composite
Exterior Lights - Full LED, DOT Compliant
Exterior Trim - 1.5" Bottom Extrusion, 2.7" Top Extrusion
Flooring - 3/4" Engineered Wood
Front Profile - 16" V-Nose
Hubs - Easy Lube
Interior Lights - (1) LED Dome Light, Wall Mount
Interior Trim - Engineered Wood Wall Transitions
Interior Walls - Engineered Wood
Protective Coating(s) - BATTLECOAT Polyurea Coating, Polyethylene Vapor Barrier
Ramp(s) - 150 Series with Assist
Roof - Flat Top Seamless Aluminum
Roof Bows - Steel Tube, 24" On-Center
Safety Chains - DOT Compliant
Side Door - 32" Wide Flush Lock, Plastic Holdback
Standard Interior Height - 78"
Stone Guard - 24" ATP
Switches - (1) Dome Light, 12V

Tires - ST205/75R15C 6-PLY
Tongue - 4" x 2" Steel Tube
Tongue Jack - 2K Coupler Mounted
Undercoating - Asphalt Emulsion
Vents - Sidewall Airflow
Wall Posts - Steel Tube, 24" On-Center
Warranty - Limited 3-Year Warranty
