Bunnell

Phone: +13863461919
4751 E Moody Blvd
Bunnell, Florida
Email: alloutdoors386@gmail.com



2026 H&H Trailers 3K 76X12 Aluminum Rail Side Utility Trailer

Type	Trailer or Truck Bed	**Category**	Utility Trailer
Stock#	AOHH621863	**VIN**	5JWA11612TN621863
Location	Bunnell	**Year**	2026
Status	Available	**Condition**	New
Manufacturer	H&H Trailers	**Model**	H7612RSA-030
Floor Length	144in / 12ft	**Floor Width**	76in / 6ft 4in
GVWR	2990	**Weight**	920
Payload Capacity	2070	**Axle Capacity**	3500
Color	Aluminum	**Pull Type**	Bumper
Axles	1	**Construction**	Aluminum

https://alloutdoorstrailersales.com/unit/2026-h-h-trailers-3k-76x12-aluminum-rail-side-utility-trailer-1068978

Price: $4,950.00

Description

2026 H&H Trailers 3K 76X12 Aluminum Rail Side Utility Trailer

Designed for strength, versatility, and easy towing, H&H Aluminum Rail Side Utility Trailers are the perfect solution when you need a reliable small utility trailer for work or play.
Triple Tube, Fully Wrapped Tongue – Enhanced Frame Strength
The triple tube design with a fully wrapped tongue ensures exceptional durability and better weight distribution.
Bi-Fold Aluminum Rear Ramp – Easy Loading Access
The lightweight bi-fold ramp simplifies loading and unloading, bi-folds to reduce wind drag, and makes transport more efficient.
Tube Top Rail and Uprights – Enhanced Rigidity
The tube top design provides added strength without the necessary weight.
Aluminum Wheels – Durable, Lightweight Styling
Premium aluminum wheels add strength without extra weight, improving towing performance and offering a sleek appearance.
Sealed Wiring Harness – Reliable Electrical Protection
All trailer wiring is fully sealed and protected from the elements, ensuring consistent performance and minimal maintenance.
GVWR (lbs) 2990 lbs
GAWR (lbs/axle) 3500 lbs/axle
Curb Weight 920 lbs
Payload 2070 lbs
Width 76'
Length 12'
Overall Length 188"
Deck Length 144"
Deck Width 76.25"
Deck Height 17.5"
Gate 73x54.5
Length Interior Box 144"
Length Ramp 54.5
Height Overall 49"
Height Deck 17.5"
Width Interior 76.25"
Width Ramp 73
Type OPEN
Axle 3500 lb. Spring Idler
Connector Plug Flat 4-pin

Coupler 2" A-Frame, Posi-Lock
Crossmembers 3" x 2" x 3/16" Aluminum Angle
Decking ~~ 2" Pressure Treated Pine~~ **Aluminum Extruded**
Exterior Lights Full LED, DOT Compliant
Fenders Radius Smooth Aluminum
Frame 3" x 2" x 3/16" Aluminum Angle
Hubs Easy Lube
Ramp(s) 54" Bi-Fold Aluminum
Safety Chains DOT Compliant
Tie Downs Aluminum Stake Pockets
Tires ST205/75R15C 6-PR
Tongue 4" x 2" Aluminum Triple Tube, Fully Wrapped
Tongue Jack 1K Swivel Jack with Caster Wheel
Top Rail 2" x 2" Aluminum Tube
Uprights 2" x 1 1/2" Aluminum Extrusion Tube
Warranty Limited 3-Year Warranty
Wheels 15", 5-Hole Aluminum
Wiring Sealed Wiring Harness
