

Taneytown, MD

Phone: +14107562430
115 York St
Taneytown, Maryland
Email: adam@hitchman.com



7 x 22 (16+6) Big Tex 14TL Tilt Bed Equipment Trailer, 14k GVWR **6' Stationary Deck, Removable Fenders, Adj. Hyd. Dampener

Type	Trailer or Truck Bed	Category	Tilt Trailer
Stock#	T9060	Location	Taneytown, MD
Year	2026	Status	Special Order
Condition	New	Manufacturer	Big Tex Trailers
Model	14TL	Floor Length	264in / 22ft
Floor Width	83in / 6ft 11in	GVWR	14000
Weight	3660	Payload Capacity	10340
Axle Capacity	14000		
Color	Black	Width Total	60"
Wheels	15" x 5; Black Spoke, 5 on 5 Bolt Pattern	Pull Type	Bumper
Axles	2	Construction	Steel

<https://thehitchmaninc.com/unit/7-x-22-16-6-big-tex-14tl-tilt-bed-equipment-trailer-14k-gvwr-6-stationary-deck-removable-fenders-adj-hyd-dampener-1069800>

Call for Price

Description

With a little bit of everything to keep you rolling on your equipment hauling tasks, the 14TL Heavy Duty Tilt Bed Equipment Trailer features a rear tilt deck as well as a stationary front deck. You can stay in control of your equipment with a hydraulic dampening system with a control valve for smooth loading and unloading. And with a fabricated front stop rail and expanded cargo space, you can use every inch of your bed for maximum hauling efficiency. Get ready for a new level of productivity.

SPECIFICATION

- AXLE (2) 7,000lbs, 4" Drop EZ Lube w/Electric Brakes
- JACK 12,000lbs Drop Leg Jack-Side Wind
- TIRE ST235/80 R-16 Load Range E
- FLOOR 2" Treated Pine or Douglas Fir*
- FRAME 6" Channel
- WHEEL 16" x 6"; Heavy Black Mod 8 Bolt
- FINISH Superior Quality Finish is Applied for a Highly Decorative and Protective Finish.
- LIGHTS L.E.D. D.O.T. Stop, Tail, Turn & Clearance
- TONGUE 6" Channel Fold Back
- COUPLER Adjustable 14K Cast 2-5/16"
- FENDERS 9" x 72" Double Square Brake Diamond Plate (Removable)
- UPRIGHTS NONE
- G.V.W.R. 14,000lbs
- ELEC. PLUG 7-Way RV
- HITCH TYPE Bumper Pull
- SUSPENSION Multi-Leaf Slipper Spring w/Equalizer
- CROSSMEMBERS 3" Channel, 3" Sq. Tube
- FINISH (Prep) Steel is Cleaned to Ensure a Professional Smooth Finish.
- SAFETY CHAINS 3/8" Grd. 70 w/Safety Latch Hook (2 ea)
- FRONT STOP RAIL Fabricated Front Stop Rail
- G.A.W.R. (Ea. Axle) 7,000lbs

THE 14TL ALSO COMES EQUIPPED WITH:

- Rubrail and Tie Down Pockets Along Sides
- Adjustable 2-5/16" 14,000lbs Cast Coupler
- Fold Back/Wrap Tongue w/ Raised Coupler
- 12,000lbs Drop Leg Jack- Side Wind Against Bed
- 2" Tubular Stop Rail
- EZ Lube Hubs
- Dexter Brand Axles
- Nev-R-Adjust Electric Brakes on All Hubs
- Cambered 4" Drop Axles
- Complete Break-A-Way System w/Charger
- Double Broke Diamond Plate Fenders (Removable)
- Stationary Front Deck for Added Versatility
- Unique Two Piece Main Frame
- 102" Wide Overall, 83" Width Between Fenders
- Tilt Platform is 75" Wide
- Hydraulic Dampening System

- 1/4 Diamond Plate Knife Edge on Rear
- Grommet Mount Sealed Lighting
- L.E.D. Lighting Package
- Sealed Modular Wiring Harness
- Spare Tire Mount (Front)
- Radial Tires

While we strive to represent our trailers with 100% accuracy - please call to confirm details of trailer.
