Bunnell

Phone: +13863461919
4751 E Moody Blvd
Bunnell, Florida
Email: alloutdoors386@gmail.com



2026 H&H Trailers 5K 82X12 Aluminum Utility Trailer

Type	Trailer or Truck Bed	**Category**	Utility Trailer
Stock#	AOHH621861	**VIN**	5JWA11619TN621861
Location	Bunnell	**Year**	2026
Status	Sold	**Condition**	New
Manufacturer	H&H Trailers	**Model**	H-RSA8212-050
Floor Length	144in / 12ft	**Floor Width**	82in / 6ft 10in
Floor Height	17.5in / 1ft 5.5in	**GVWR**	5000
Weight	1100	**Payload Capacity**	3900
Axle Capacity	5200		
Color	Aluminum	**Axles**	1
Construction	Aluminum	**Length**	188in / 15ft 8in
Height	49in / 4ft 1in		

https://alloutdoorstrailersales.com/unit/2026-h-h-trailers-5k-82x12-aluminum-utility-trailer-1070143

Price: $6,450.00

Description

2026 H&H Trailers 5K 82X12 Aluminum Utility Trailer

Light Trailer, Big Payload!!

The H&H Aluminum Rail Side Utility Trailers blend lightweight aluminum construction with rugged performance to create one of the most versatile utility trailers available. Built to handle a variety of hauling needs, this trailer is perfect for homeowners, landscapers, and recreational users looking for a dependable small utility trailer that’s easy to tow and built to last.

Standard Features

Every Aluminum Rail Side Utility Trailer is equipped with a triple tube, fully wrapped tongue, a bi-fold aluminum rear ramp, sealed wiring harness, and aluminum wheels. Additional features include a swivel jack with caster wheel, LED lighting, side rail tie-down points, and a corrosion-resistant all-aluminum frame.

Specifications:

GVWR (lbs). 5000 lbs
GAWR (lbs/axle) 5200 lbs/axle
Curb Weight 980 lbs
Payload 3900 lbs
Width 82"
Length 12'
Overall Length 188"
Deck Length 144"
Deck Width 82.25"
Deck Height 17.5"
Gate 79x54.5
Length Interior Box 144"
Length Ramp 54.5
Height Overall 49"
Height Deck 17.5"
Width Interior 82.25"
Width Ramp 79
Type OPEN
Axle 5200 lb.Braked
Connector Plug 7 Way
Coupler 2" A-Frame, Posi-Lock
Crossmembers 3" x 2" x 3/16" Aluminum Angle
Decking 2" Pressure Treated Pine
Exterior Lights Full LED, DOT Compliant
Fenders Radius Smooth Aluminum
Frame 3" x 2" x 3/16" Aluminum Angle
Hubs Easy Lube
Ramp(s) 54" Bi-Fold Aluminum
Safety Chains DOT Compliant
Tie Downs Aluminum Stake Pockets

Tires ST205/75R15C 6-PLY
Tongue 4" x 2" Aluminum Triple Tube, Fully Wrapped Tongue
Jack 1K Swivel Jack with Caster Wheel
Top Rail 2" x 2" Aluminum Tube
Uprights 2" x 1 1/2" Aluminum Extrusion Tube
Warranty Limited 3-Year Warranty
Wheels 15", 5-Lug Aluminum
Wiring Sealed Wiring Harness
