# Billings - Sancrest Sales

Phone: +14177442100
1042 Rose Hill Rd
Billings, Missouri
Email: sales@sancrest.com

---



## 2026 NXG RD THIS WILL FIT 60 CAB TO AXLE CAB N CHASSIS

| | | | |
|---|---|---|---|
| **Type** | Trailer or Truck Bed | **Category** | Truck Bed |
| **Stock#** | 12168 | **VIN** | NXG012168 |
| **Location** | Billings - Sancrest Sales | **Year** | 2026 |
| **Status** | Available | **Condition** | New |
| **Manufacturer** | NXG Truck Bodies | **Model** | RD THIS WILL FIT 60 CAB TO AXLE CAB N CHASSIS |

https://sancrestsales.com/unit/2026-nxg-rd-this-will-fit-60-cab-to-axle-cab-n-chassis-1094420

**Price: $4,270.00**

---

### Description

Description
XCoat
Standard
NXG's proprietary multi-stage cleaning and powder coating system delivers unmatched corrosion resistance and a professional, durable finish built for harsh environments
XRack
Standard
Fully integrated headache rack system, built into the body-not bolted on-with precision

3" x4" steel tubing, mandrel bends, and built-in Xlights with strobe capability for job-site safety
XDeck
Standard
Fully recessed 1 /8" steel tread plate deck maximizes cargo space and eliminates exposed edges, protecting against wear and corrosion
XHitch
Standard
Frame-integrated towing system with 30,000?lb gooseneck, 24,500?lb receiver, upright safety chain keepers, pre-wired electrical connections, and an emergency breakaway loop for the safest towing experience in the industry
Side Rails
Standard
3/8"?x?2" formed steel rub rails with integrated stake pockets and tie-down compatibility
Fuel Fill
Standard
Angled, corrosion-resistant design improves flow, reduces splashback, and features standard rear-facing location for easier fueling
Trailer Light Plug
Standard
Automotive-grade seven-way/four-way 12-volt electrical hookup for reliable trailer connections
Marker Lighting
Standard
DOT-approved LED bullet lights for road-ready visibility
Toolboxes
Standard
Four lockable flush-mounted toolboxes with bulb weatherstripping for maximum sealing and corrosion protection
Toolbox Handles
Standard
Black T-handle compression latches, all keyed alike for convenience and security
Fenders
Standard
Heavy-duty steel radius fenders for lasting durability
Side Steps
Standard
NXG XSteps in front of and behind fenders, plus rear step for unmatched bed access
Frame Rails
Standard
4" structural channel steel
Crossmembers
Standard
3" roll-formed steel for superior deck support and load capacity
Rear Skirt
Standard
One-piece formed steel with tapered corners for improved turning clearance
Gooseneck Hitch
Standard
XHitch rated at 30,000 lbs
Receiver Hitch
Standard

XHitch rated at 25,000 lbs with 2.5" receiver
Read more
Description