Blackhawk Equipment

Phone: +15073755544
19989 584th Ave
Mankato, Minnesota
Email: sales@blackhawkequip.com



2027 Texas Pride Trailers 7x16 16k Dump Trailer 2' Foot Sides Tarp Spare Ramps

Type	Trailer or Truck Bed	**Category**	Dump Trailer
Stock#	26145	**VIN**	7HCBD1625TB088466
Location	Blackhawk Equipment	**Year**	2027
Status	Available	**Condition**	New
Manufacturer	Texas Pride Trailers	**Model**	7x16 16k Dump Trailer
Floor Length	192in / 16ft	**Floor Width**	84in / 7ft
GVWR	16000	**Weight**	4200
Payload Capacity	11800	**Axle Capacity**	16000
Color	Black	**Width Total**	84
Coupler	2-5/16"	**Pull Type**	Bumper

Axles	2	**Suspension Type**	Leaf Spring Suspension
Msrp	15685	**Construction**	Steel
Warranty	1 Year	**Length**	192in / 16ft
Brakes	YES	**Lights**	LED
Tires	14 Ply	**Height**	24in / 2ft
Width	84in / 7ft	**Gate**	Spreader/Barn
Floor	3/16"	**Side Wall Height**	2in / 0ft 2in

https://www.blackhawkequip.com/unit/2027-texas-pride-trailers-7x16-16k-dump-trailer-2-foot-sides-tarp-spare-ramps-1125532

Price: $12,495.00

MSRP: $15,685.00

Description

16k lb GVWR Bumper Pull Dump Trailer
Added Features:

- 3/16" Floor Upgrade (7 ga.)
- Barn door
- Ramps
- 14 Ply Tires
- 2' Flared sidewalls
- Tarp Kit
- Spare tire included

Standard Features:

- G.V.W.R.:16,000 lbs
- Empty Trailer Weight: 4200 lbs
- Net Payload Capacity: 11800 lbs
- Axles: Dual 8,000 lb Direct Lube 8 lug (electric brakes on both axles)
- Suspension: Heavy Duty Slipper Spring Suspension
- Brakes: All wheel electric brakes on all axles (12" x 2" brake shoe)
- Tires: New 16" ST235/85R16 14ply radial LRG (4,000lbs ea)
- Wheels: 16" x 6" eight hole white or silver (based on stock)
- Main Frame: 6" x 2" x 3/16" wall rectangular tubing
- Tongue: 6" channel
- Tilt Frame: 3" x 2" x 3/16" wall rectangular tubing
- Cross Members: 3" channel
- Bed Flooring: 1/8" thick sheet steel
- Bed Siding: 1/8" thick sheet steel
- Tie Downs: Stake pockets & D-Rings

- Deck width: 82"
- Deck Length: 12', 14' or 16'
- Deck Height: Approximately 26"
- Side Wall Height: 24" standard
- Rear Doors: Double swing doors (open like barn doors)
- Battery: Group 24 deep cycle marine
- Charging System: Onboard 110v charger and tester (also charges off truck while being towed)
- Pump: Electric over hydraulic (1.7 gpm) - power up / power down
- Controller: 15' corded remote control
- Toolbox: Front locking tool box - contains battery and pump
- Hydraulics: Multi stage trunnion mount telescopic cylinder
- Coupler: 4 hole adjustable height 2 5/16" ball
- Safety Chains: Two heavy duty safety chains
- Jack: 12,000 lb drop leg jack
- Fenders: 14ga heavy duty tread plate
- Lighting: All flush mount or recessed lifetime LED stop / turn / clearance lighting
- Wiring: U.S. made sealed modular wiring harness
- Safety Equipment: DOT required emergency break-a-way kit and conspicuity tape & Prop Rod
- Finish: Fully primed and painted with automotive grade acrylic enamel

---