

# Custom Way Trailer Sales

Phone: +19378459469

2217 N Dayton Lakeview Rd (Ste. Rte. 235 N)

New Carlisle, Ohio

Email: [renae@customway.com](mailto:renae@customway.com)

---



## 2027 Big Tex 60PI-16 77"x16'

|               |                          |                  |                   |
|---------------|--------------------------|------------------|-------------------|
| Type          | Trailer or Truck Bed     | Category         | Utility Trailer   |
| Stock#        | T486437                  | VIN              | 16V1U1927V2486437 |
| Location      | Custom Way Trailer Sales | Year             | 2027              |
| Status        | Available                | Condition        | New               |
| Manufacturer  | Big Tex Trailers         | Model            | 60PI-16 77"x16'   |
| Floor Length  | 192in / 16ft             | Floor Width      | 77in / 6ft 5in    |
| Floor Height  | 18.25in / 1ft 6.25in     | GVWR             | 6000              |
| Weight        | 1535                     | Payload Capacity | 4465              |
| Axle Capacity | 3500                     |                  |                   |
| Color         | Black                    | Axles            | 2                 |
| Length        | 231in / 19ft 3in         | Brakes           | 1-axle            |
| Width         | 96in / 8ft               | Msrp             | 4631              |

<https://www.customway.com/unit/2027-big-tex-60pi-16-77-x16-1132315>

**Price: \$3,895.00**

**MSRP: \$4,631.00**

---

## Description

### TANDEM AXLE PIPE TOP UTILITY TRAILER

The 60PI Tandem Axle Pipe Top Utility Trailer from Big Tex is perfect for hauling light equipment. With 4' spring assist ramp gate.

Haul light-duty equipment wherever the job takes you with confidence. The 60PI tandem axle pipe top utility trailer from Big Tex Trailers is built for the task. With a 6,000-pound G.V.W.R. and a reinforced structure, it delivers the strength and reliability you need to transport small tractors, side-by-sides, and more — safely and securely. Plus, optional slide-in ramps make loading and unloading a breeze, so you can stay focused on the job. Our products are built for convenience and durability.

### SPECS

AXLE 3,500 EZ Lube  
Brakes, 1- electric

JACK 2,000 Top Wind, Set-Back Jack

TIRES T205/75R-15 Load Range C

FLOOR 2" Treated Pine or Douglas Fir  
FRAME 3" x 2" x 3/16" Angle

WHEEL 15" x 5"; Black Mod, 5 on 5 Bolt Pattern

FINISH Superior Quality Finish is Applied for a Highly Decorative and Protective Finish

LIGHTS L.E.D. D.O.T. Stop, Tail, Turn & Clearance

TONGUE 4" Channel

COUPLER 2" A-Frame

FENDERS 9" x 72" Rolled Formed w/Back

G.V.W.R. 6,000

TOP RAIL 2" x 2" Square Tubing

UPRIGHTS 2" x 2" x 1/8" Angle

ELEC. PLUG 7-Way RV

HITCH TYPE Bumper Pull

SUSPENSION Multi-Leaf Spring w/ Equalizer

CROSSMEMBERS 3" x 2" x 3/16" Angle

FINISH (Prep) Steel is Cleaned to Ensure a Professional, Smooth Finish

SAFETY CHAINS 1/4" Grd. 30 w/Safety Latch Hook (2 ea)

G.A.W.R. (Ea. Axle) 3,500

---