# Family Garden Trailers- Tulsa

Phone: +19186130432
6911 State Highway 66
Tulsa, Oklahoma
Email: sales@familygardentrailers.com

---



## 2026 Texas Pride Trailers BumperPull 7x16x3 Tandem Axles Dump Trailer-8K Axles-UPGRADES!!!

| | | | |
|---|---|---|---|
| **Type** | Trailer or Truck Bed | **Category** | Dump Trailer |
| **Stock#** | 8904 | **Location** | Family Garden Trailers- Tulsa |
| **Year** | 2026 | **Status** | Sold |
| **Condition** | New | **Manufacturer** | Texas Pride Trailers |
| **Model** | BumperPull 7x16x3 Tandem Axles | **Floor Length** | 192in / 16ft |
| **Floor Width** | 84in / 7ft | **GVWR** | 16000 |
| **Weight** | 4400 | **Payload Capacity** | 11600 |
| **Axle Capacity** | 8000 | | |
| **Color** | Black | **Pull Type** | Bumper |
| **Axles** | 2 | **Side Wall Height** | 36in / 3ft |

https://familygardentrailers.com/unit/2026-texas-pride-trailers-bumperpull-7x16x3-tandem-axles-dump-trailer-8k-axles-upgrades-1133783

**Price: $10,495.00**

**Description**

Texas Pride Dump trailer
7X16X3
UPGRADES:
3/16 Floor upgrade
Spreader gate
Equipment Ramps
G.V.W.R.: 16,000 lbs
Empty Trailer Weight: Approximately 4,400 lbs (16' trailer with no additional options)
Net Payload Capacity: Approximately 11,600lbs (16' trailer with no additional options)
Axles: Dual 8,000 lb Direct Lube 8 lug (electric brakes on both axles)
Suspension: Heavy Duty Slipper Spring Suspension
Brakes: All wheel electric brakes on all axles (12" x 2" brake shoe)
Tires: New 16" ST235/85R16 14 ply radial LRG (4,300 lbs ea)
Wheels: 16" x 5.5" eight hole white or silver (based on stock)
Main Frame: 2" x 8" x 1/4" wall rectangular tubing
Tongue: 8" channel
Tilt Frame: 3"x 2"x 3/16" wall rectangular tubing
Cross Members: 3" channel
Bed Flooring: 10 GAGE sheet steel
Bed Siding: 10 GAGE" sheet steel
Tie Downs: Stake pockets
Deck width: 82"
Deck Length: 16'
Deck Height: Approximately 26"
Side Wall Height: 36" standard
Rear Doors: Double swing doors (open like a barn door)
Battery: Group 27 deep cycle marine
Charging System: Onboard 110v charger and tester (also charges off truck while being towed)
Pump: Electric over hydraulic (1.7 gpm) - power up / power down
Controller: 10' corded remote control
Toolbox: Front locking tool box - contains battery and pump
Hydraulics: 3 STAGE TELESCOPIC hydraulic cylinder
Coupler: Adjustable height 2 5/16" ball
Safety Chains: Two heavy duty safety chains
Jack: 12,000 lb drop leg jack
Fenders: 14ga heavy duty tread plate
Lighting: All flush mount or recessed lifetime LED stop / turn / clearance lighting
Wiring: U.S. made sealed modular wiring harness
Safety Equipment: DOT required emergency brake-a-way kit and conspicuity tape
Finish: Fully primed and painted with 2 coats of automotive grade acrylic enamel
GUTHRIE LOCATION
11574 S Pine St
Guthrie Oklahoma 73044
405-446-1667
www.familygardentrailers.com
sales@familygardentrailers.com
TULSA LOCATION
6911 State-Highway 66

Tulsa, Oklahoma, 74131
(918) 613-0432