

TRAILER MARKETING SERVICES

TRAILER MARKETING SERVICES



2026 Hillcrest Trailers 10612SSD Dump Trailer

Type	Trailer or Truck Bed	Category	Dump Trailer
Stock#	HC-003907	VIN	7X8BD1226TS003907
Location	TRAILER MARKETING SERVICES	Year	2026
Status	Available	Condition	New
Manufacturer	Hillcrest Trailers	Model	10612SSD
Floor Length	144in / 12ft	Floor Width	73in / 6ft 1in
GVWR	9995	Weight	3150
Payload Capacity	6845		
Color	Gray	Fenders	DOUBLE BROKE
Wheels	6-LUG	Coupler	2-5/16" ADJUSTABLE
Jack	7,000LB TOP WIND,DROP LEG	Pull Type	Bumper
Axles	2	Suspension Type	Leaf Spring Suspension
Construction	Steel	Warranty	3-YEAR LIMITED
Brakes	ELECTRIC FORWARD SELF-ADJUSTING	Lights	L.E.D
Tires	ST225/75 R 15" LOAD RANGE D	Side Wall Height	20in / 1ft 8in

Gate	BARN DOOR/SPREADER	Floor	10 GAUGE
Frame	6" I-BEAM 9LBS PER FOOT		

<https://www.trailermarketingservices.com/unit/2026-hillcrest-trailers-10612ssd-dump-trailer-1145554>

Price: \$8,899.00

Description

6X12 BLACK GRAY 2026 HILLCREST TA I-BEAM DUMP TRAILER W/HEAVY DUTY RAMPS,
20" SIDES, 2-5/16" COUPLER & TOP WIND DROP LEG JACK

GVWR: 9995lbs

PAYLOAD: 6845lbs

TRAILER WEIGHT: 3150lbs

WIDTH: 73" = 6' 1"

LENGTH: 144" = 12'

DUMP SIDES: 20" = 1' 8"

COLOR: Black Gray

FRAME: 6" I-Beam 9lbs Per Foot

TONGUE: 6" I-Beam 9lbs Per Foot

FLOOR: 10 Gauge

TOP RAIL: Formed Strong Rail

GATE: Rear Combo Barn Door & Spreader

RAM: 12-Ton 3-Stage Telescopic Cylinder

POWER: Power Up/ Gravity Down

CROSSMEMBERS: Full Length Fabricated 10 Gauge Braces

SUSPENSION: Multi-Leaf Slipper Spring W/Equalizer

AXLES: 2-6000lb Premium, Cambered W/Quick-Lubricating Hubs

BRAKES: Electric Forward Self-Adjusting On Both Axles

COUPLER: 2-5/16" Adjustable

SAFETY CHAINS: 1/4" Grade 70 W/Safety Latch Hook 2-Each

JACK: 7,000lb Top Wind, Drop Leg, Set Back

STABILIZERS: Optional Rear Stabilizer Stands

RAMPS: 6.5' Heavy Duty

FENDERS: Double Broke

CHARGER: 5A 110V On Board Battery Charger

TRAILER PLUG: 7-Way RV

WIRING: Sealed Modular Wiring Harness

TARP: Fully Formed Tarp Shroud W/Tarp & Rear Tarp Rod Holders

STAKE POCKETS: Along Both Sides

TIE DOWNS: 6-5/8" D-Rings Inside Bed To Secure Equipment Along Sides & Rear

J-HOOKS: Along Sides

STEPS: Side Step For Easy Access

STORAGE: Lockable Pump & Battery Box Mounted In Front Of Bed

TIRES & WHEELS: ST225/75 R 15" Load Range D (WHEELS: 6-Lug)
