

Grand Trailer Sales

Phone: +12187730501
224 GATEWAY DRIVE NE
East Grand Forks, Minnesota
Email: roger@grandtrailersales.com



2027 Drive Trailers T6V2S710220-GGV Tilt Trailer

Type	Trailer or Truck Bed	Category	Tilt Trailer
Stock#	80336D	VIN	1L9BF2627VH280336
Location	Grand Trailer Sales	Year	2027
Status	Available	Condition	New
Manufacturer	Drive Trailers	Model	T6V2S710220-GGV
Floor Length	264in / 22ft	Floor Width	83in / 6ft 11in
GVWR	14000	Weight	4410
Payload Capacity	9590	Axle Capacity	7000
Color	Silver	Fenders	GALVANIZED DIAMOND PLATE
Wheels	16" STEEL (BLACK)	Coupler	2 5/16" DEMCO ADJUSTABLE
Jack	15K SPRING LOADED	Pull Type	Bumper
Axles	2	Suspension Type	Torsion Suspension
Msrp	12152	Construction	Galvanized
Brakes	4 WHEEL ELECTRIC	Lights	LED
Tires	235/80/R16 LRE	Width	102in / 8ft 6in

Floor	PROWOOD TREATED	Load Securement	D RINGS, STAKE POCKETS, RUB RAILDAMPING TILT CYLINDER
Frame	GALVANIZED	Clearance Price	10599

<https://www.grandtrailersales.com/unit/2027-drive-trailers-t6v2s710220-ggv-tilt-trailer-1147602>

Price: \$10,999.00

MSRP: \$12,152.00

Sales Price: \$10,599.00

Description

22' DRIVE PARTIAL TILT 16+6
 GALVANIZED FINISH
 TANDEM 7K TORSION AXLES
 ELECTRIC BRAKES
 15,000 LB SPRING LOADED JACK
 PALLET FORK HOLDERS
 LED LIGHTS
 235/80/R16 LOAD RANGE E TIRES
 8 LUG 16" BLACK STEEL RIMS
 SPARE TIRE BRACKET
 DEMCO COUPLER 2 5/16
 BREAK AWAY KIT
 6" C CHANNEL FRAME
 3" C CHANNEL CROSSMEMBERS
 HYDRAULIC DAMPING ON TILT
 TAPERED TAIL
 6 GALVANIZED D RINGS
 STAKE POCKETS/RUB RAIL
 DOT SAFETY TAPE
 PROWOOD DECK
 FRONT TOOL BOX
 MUCH MORE

Features

- Exterior Features
 - D-Ring Installed
 - Diamond Plate Fenders
 - Side Stake Pockets
 - Treated Wood Floor
- Jack & Coupler Features
 - Manual Jack
 - 2 5/16" Coupler

- Safety Convenience & Electrical
 - 7Way Plug
 - DOT Approved Lighting
 - Front Tongue Toolbox
 - Insulated Wire Harness
 - LED Lighting
- Structural Features
 - Channel Crossmembers
- Wheels & Suspension Features
 - Break away Switch
 - 8 Hole Wheels
 - Electric Brake(s)
 - Rubber Torsion Suspension