

North Augusta

Phone: +18038443242
5950 Jefferson Davis Highway
North Augusta, South Carolina
Email: geddings@nacustoms.com



2026 MAXX-D 8.5 x 25 24k Flatbed Trailer

Type	Trailer or Truck Bed	Category	Flatbed Trailer
Stock#	146597	VIN	5R8GF2525VM146597
Location	North Augusta	Year	2026
Status	Available	Condition	New
Manufacturer	MAXX-D	Model	8.5 x 25 24k
Floor Length	300in / 25ft	Floor Width	102in / 8ft 6in
GVWR	24000	Weight	8000
Payload Capacity	16000	Axle Capacity	10000
Color	Metallic Gray	Coupler	2 5/16" 30K ROUND GN COUPLER

Jack	2-10K DROP-LEG JACKS	Pull Type	Gooseneck
Axles	2	Suspension Type	Leaf Spring Suspension
Construction	Steel	Warranty	5-Year Structural Warranty 2-Year Bumper-to-Bumper Comprehensive Warranty (Parts & Labor)
Lights	FLUSHMOUNT LED'S / STANDARD SEALED WIRING HARNESS	Tires	DUALS (9) ST235/80R16 E TIRES
Floor	2X8 TREATED WOOD FLOOR	Frame	12" X 19LB I-BEAM FRAME WITH TORQUE TUBE

<https://www.nactrailersales.com/unit/2026-maxx-d-8-5-x-25-24k-flatbed-trailer-1158380>

Price: \$16,495.00

Description

2026 MAXX-D Trailers Low-Pro Tandem Dual Flatbed – 25' x 102" | 24,000 LB GVWR | Slipper Spring Suspension

Heavy-duty commercial grade flatbed trailer built for equipment, agricultural, and commercial hauling.

UNIT INFORMATION

VIN: 5R8GF2525VM146597

Condition: New

Status: In Stock

Color: MAXXD Gray Metallic

OVERVIEW

Designed for demanding commercial applications, this 25' MAXX-D Low-Pro Tandem Dual Gooseneck Flatbed combines heavy-duty construction with premium hauling capability. Built on a 12" I-beam frame with tandem 10K electric brake axles, dual wheels, and a 24,000 lb GVWR, it delivers exceptional stability and durability for transporting equipment, tractors, skid steers, and other heavy loads. The MAXX-D Out ramps, front toolbox, and side-mounted toolbox provide added convenience for everyday use.

SPECIFICATIONS AND FEATURES

24,000 lb GVWR

25' x 102" deck

2-5/16" 30K round gooseneck coupler

Dual 10,000 lb drop-leg jacks

Standard-height I-beam neck with front toolbox, winch plate, and spare tire mount

12" x 19 lb I-beam frame with torque tube

3" I-beam crossmembers on 16" centers
6" channel outer frame
5' dovetail with MAXX-D Out ramps
Tandem 10,000 lb electric brake axles
Slipper spring suspension
Dual ST235/80R16 Load Range E tires
2" x 8" treated wood floor
Flush-mount LED lighting with sealed wiring harness
48" side-mounted toolbox
Spare tire and mount included
Premium MAXXD Gray Metallic finish
WARRANTY INCLUDED
5-Year Structural Warranty
2-Year Bumper-to-Bumper Comprehensive Warranty (Parts & Labor)
