

Trailer Town Ohio

Phone: +13303234633
14706 Lincoln Way E
Dalton, Ohio
Email: billy@trailertownohio.com



2026 H&H Trailers 83X16 Dump Trailer 16K GVWR Telescopic Lift

Type	Trailer or Truck Bed	Category	Dump Trailer
Stock#	22299	VIN	5JWDD2228TP622299
Location	Trailer Town Ohio	Year	2026
Status	Available	Condition	New
Manufacturer	H&H Trailers	Model	83X16
Floor Length	192in / 16ft	Floor Width	83in / 6ft 11in
GVWR	16000	Weight	4900
Payload Capacity	11100		
Color	Black	Coupler	2 5/16
Pull Type	Bumper	Axles	2
Suspension Type	Leaf Spring Suspension	Clearance Price	14290
Construction	Steel	Warranty	3 Years
Brakes	Both Axles	Side Wall Height	24in / 2ft
Gate	3 Way	Hydraulics	Telescopic

<https://www.trailertownohio.com/unit/2026-h-h-trailers-83x16-dump-trailer-16k-gvwr-telescopic-lift-1162083>

Price: \$14,890.00

Sales Price: \$14,290.00

Description

The H&H Industrial Dump Trailer is built for serious work. Whether you're hauling aggregate, demolition debris, or equipment, this trailer is designed to meet the demands of professionals who need strength, reliability, and versatility from their equipment. With its rugged construction and reliable components, it's ready to take on the toughest jobsite challenges.

Telescopic Lift

GVWR (lbs) 16000 lbs

GAWR (lbs/axle) 7000 lbs/axle

Curb Weight 4600 lbs

Payload 9400 lbs

Width 83'

Length 16'

Overall Length 228"

Deck Length 168"

Deck Width 83"

Deck Height 28.75"

Coupler Height 12.5-20.5

Gate Combo Barn Door Spreader Gate with Cambar

Length Interior Box 168"

Length Ramp 66

Height Coupler 12.5-20.5

Height Overall 58"

Height Deck 28.75"

Width Interior 83"

Width Tilting Deck 83

Width Ramp 14.75

Type OPEN

110V Electrical On-Board Charger 10 Amp (110V Plug In)

12V Electrical 12 Volt DC 24 Battery

Axle (2) 7000 lb. Slipper Spring Brake

Breakaway Battery, Switch, and Lanyard

Connector Plug Round 7-pin Blade

Coupler 2-5/16" Adjustable

Crossmembers 3" Steel Channel

Decking 7-Gauge, One-Piece Smooth Steel

Exterior Finish Industrial Grade Polymer Finish

Exterior Lights Full LED, DOT Compliant

Exterior Storage

Spare Tire Carrier, Tongue Mounted Lockable Battery and Pump Box

Fenders

Double Break Tread Plate

Frame 8" Steel Channel

Hubs Easy Lube

Hydraulic Components 12 Volt Hydraulic Pump, Power Up, Power Down (Scissor Lift Hoist), Push Button Control with 15' Lead
Integrated Step(s) Side Steps
Ramp(s) 4" x 68" Steel Ladder Style (Slide-In with Carrier)
Safety Chains
DOT Compliant
Sides 12-Gauge, 24" Tall
Tarp 18' Mesh Tarp Kit (Installed), Anti-Sail Kit with Integrated Tie-Down, Integrated Tarp Mount and Shroud, Tarp Brackets
Tie Downs (5) 1/2" D-Rings, Stake Pockets
Tires ST235/80R16E 10-PR
Tongue 6" Steel Channel, Fully Wrapped
Tongue Jack 12K Drop Leg, Set-Back
Top Rail Custom Formed
Warranty Limited 3-Year Warranty
Wheels 16", 8-Hole Steel
Wiring Sealed Wiring Harness
