R&P Carriages

Phone: +18153573292
270 East Jackson St
Seneca, Illinois
Email: ken@needatrailer.com



2026 MEB 4' x 6' Angle-Iron Utility Trailer with Ramp Gate

Type	Trailer or Truck Bed	**Category**	Utility Trailer
Stock#	72172	**Location**	R&P Carriages
Year	2026	**Status**	Available
Condition	New	**Manufacturer**	MEB
Model	4x6 Angle Iron Utility Trailer W/Ramp	**Floor Length**	72in / 6ft
Floor Width	48in / 4ft	**Floor Height**	19in / 1ft 7in
GVWR	2999	**Weight**	450
Payload Capacity	2549	**Axle Capacity**	3500
Color	Black	**Width Total**	82
Fenders	Double-brake steel tread plate fenders	**Wheels**	15" 5 Lug Steel Rims
Coupler	2" bulldog coupler	**Pull Type**	Bumper
Axles	1	**Suspension Type**	Leaf Spring Suspension
Construction	Steel	**Length**	114in / 9ft 6in
Lights	D.O.T. complaint LED lights	**Tires**	205/75/15
Height	31in / 2ft 7in	**Width**	67in / 5ft 7in
Side Wall Height	12in / 1ft	**Gate**	48" x 48" Ramp

Floor	2 x 8 treated pine	**Beavertail**	no
Frame	Steel frame.		

https://www.randpcarriages.com/unit/2026-meb-4-x-6-angle-iron-utility-trailer-with-ramp-gate-1173852

Price: $1,425.00

Description

2026 MEB 4' x 6' Angle-Iron Utility Trailer with Ramp Gate

48" x 6' Wood Deck | 48" x 48" Rear Ramp Gate | Single 3,500 lb. Axle | 12" Steel Cargo Rails
This compact MEB utility trailer is a practical choice for hauling a small mower, four-wheeler, landscaping supplies, building materials, and general cargo. The full-width rear ramp supports straightforward loading, while the 12" steel rails and three tie-down points on each side help contain and secure cargo during transport.
Documented equipment includes deck configuration: 48" wide x 6' long; main frame: Heavy-duty structural angle iron construction; cargo rails: 12" high steel rail across the front and along both sides. Review the detailed specifications below for the exact configuration of this unit.

Key Specifications

- **Trailer Type:** Utility Trailer
- **Coupler:** Heavy-duty 2" ball coupler
- **Electrical Connection:** 4-flat trailer plug
- **Electrical Plug:** 4-flat
- **GVWR:** 2,999 lbs
- **Payload Capacity:** 2,549 lbs
- **Trailer Weight:** 450 lbs

Deck, Frame & Construction

- 48" Wide Deck
- 6' Deck Length
- 12" Steel Rails
- **Deck Configuration:** 48" wide x 6' long
- **Main Frame:** Heavy-duty structural angle iron construction
- **Cargo Rails:** 12" high steel rail across the front and along both sides
- **Decking:** 2" wood deck
- **Fenders:** Steel treadplate fenders

- **Tongue Length:** 42"

Loading & Ramp System

- 48" x 48" Ramp Gate
- **Ramp Gate:** 48" wide x 48" tall rear ramp
- **Ramp Gate:** 48" wide x 48" tall

Axles, Brakes & Running Gear

- Single 3,500 lb. Axle
- **Axle:** Single 3,500 lb. capacity axle

Hitch, Jack & Electrical

- 2" Ball Coupler
- 4-Flat Plug
- **Lighting:** Full DOT lighting

Tie-Downs & Cargo Control

- Six Tie-Down Points
- **Tie-Downs:** Three tie-down points on each side

Additional Features

- **Safety Equipment:** Heavy-duty safety chains

Dimensions & Weight Ratings

- **Overall Length:** 114" / 9' 6"
- **Overall Width:** 67" / 5' 7"
- **Bed Length:** 72" / 6'
- **Bed Width:** 48" / 4'
- **Deck Height:** 19"
- **Coupler Height:** 17"
- **Coupler Size:** 2"

Loading & Fitment

Confirm the actual cargo dimensions, loaded weight, loading-equipment ratings and securement requirements against the trailer's documented specifications before hauling. Verify that the tow vehicle, hitch and electrical connection are compatible.

Questions About This Trailer?

Contact R&P Carriages for additional information about this unit, its documented equipment and current availability.

R&P Carriages | Seneca, Illinois | 815-357-3292