R&P Carriages

Phone: +18153573292
270 East Jackson St
Seneca, Illinois
Email: ken@needatrailer.com



2026 MEB 5' x 10' Tilt Manlift Trailer â€“ 5K GVWR

Type	Trailer or Truck Bed	**Category**	Tilt Trailer
Stock#	71939	**Location**	R&P Carriages
Year	2026	**Status**	Available
Condition	New	**Manufacturer**	MEB
Model	5x10 Tilt Manlift Trailer	**Floor Length**	120in / 10ft
Floor Width	720in / 60ft	**Floor Height**	16.5in / 1ft 4.5in
GVWR	5000	**Weight**	830
Payload Capacity	4170	**Axle Capacity**	5200
Color	Black	**Fenders**	Heavy Duty Treadplate
Wheels	Steel 6 Lug	**Coupler**	Adjustable 2 " Coupler
Jack	5K Set Back Tongue Jack	**Pull Type**	Bumper
Axles	1	**Suspension Type**	Leaf Spring Suspension
Construction	Steel	**Length**	162in / 13ft 6in
Brakes	Electric	**Lights**	LED
Tires	225/75R/15 LRE	**Height**	32.5in / 2ft 8.5in

Width	82in / 6ft 10in	**Side Wall Height**	16in / 1ft 4in
Gate	no	**Floor**	2x8 Treated Pine
Beavertail	No	**Frame**	Steel Channel

https://www.randpcarriages.com/unit/2026-meb-5-x-10-tilt-manlift-trailer-5k-gvwr-1188290

Price: $2,695.00

Description

2026 MEB 5' x 10' Tilt Manlift Trailer - 5K GVWR

5' x 10' Tilt Deck | 5,200 lb. Drop Axle | Electric Brakes | 16" Side Rails | 10-Ply Radial Tires
This MEB tilt manlift trailer offers a practical, affordable setup for transporting a small scissor lift and other compatible equipment. Its 4" drop axle helps provide a lower deck height, while the tilt-bed design supports convenient loading without separate ramps. Heavy-duty framing, electric brakes, 10-ply tires, and rear board holders make it well suited for regular equipment hauling. Documented equipment includes main frame: Heavy-duty C-channel construction; cargo rails: 16" high heavy-duty rails on three sides; decking: 2" x 8" treated wood deck. Review the detailed specifications below for the exact configuration of this unit.

Key Specifications

- **Trailer Type:** Tilt Trailer
- **Brakes:** Electric axle brakes
- **Coupler:** Four-position adjustable ball coupler
- **GVWR:** 5,000 lbs
- **Payload Capacity:** 4,170 lbs
- **Trailer Weight:** 830 lbs

Deck, Frame & Construction

- 60" x 10' Deck
- 16" Rails on Three Sides
- 2" x 8" Treated Wood Deck
- **Main Frame:** Heavy-duty C-channel construction
- **Cargo Rails:** 16" high heavy-duty rails on three sides
- **Decking:** 2" x 8" treated wood deck

Loading & Ramp System

- Tilt-Bed Design
- **Deck Configuration:** 60" wide x 10' long tilt deck

Axles, Brakes & Running Gear

- 5,200 lb. 4" Drop Axle
- **Axle:** 5,200 lb. 4" drop axle for a lower deck height
- **Wheels:** Heavy-duty 6-lug wheels

Hitch, Jack & Electrical

- Adjustable Ball Coupler
- **Jack:** 2,000 lb. front tongue jack
- **Lighting:** Full DOT lighting

Tie-Downs & Cargo Control

- Rear Board Holders
- **Board Holders:** Rear holders accommodate a 2" x 12" board for use as a tailgate

Additional Features

- Electric Brakes
- **Tires:** ST225/75R15 10-ply trailer tires
- **Safety Equipment:** Heavy-duty safety chains

Dimensions & Weight Ratings

- **Bed Length:** 10'
- **Bed Width:** 60" / 5'

Loading & Fitment

Confirm the actual cargo dimensions, loaded weight, loading-equipment ratings and securement requirements against the trailer's documented specifications before hauling. Verify that the tow vehicle, hitch and electrical connection are compatible.

Questions About This Trailer?

Contact R&P Carriages for additional information about this unit, its documented equipment and current availability.
R&P Carriages | Seneca, Illinois | 815-357-3292
