

Roxbury Trailers



Phone: +19732242171
364 West Dewey Ave
Wharton, New Jersey
Email: sales@roxburytrailers.com



2026 Sure-Trac 7x18 14K Equipment Trailer - Tool Box + Spare Tire

Type	Trailer or Truck Bed	Category	Equipment Trailer
Stock#	9064	Location	Roxbury Trailers
Year	2026	Status	On Order
Condition	New	Manufacturer	Sure-Trac
Model	ST-ET8218-140	Floor Length	218in / 18ft 2in
Floor Width	82in / 6ft 10in	GVWR	14000
Weight	2870	Payload Capacity	11130
Axle Capacity	7000		
Color	Black	Fenders	HD Double BrakeTread Plate
Wheels	16", 8 on 6.5, Radial	Coupler	Adjustable
Jack	Setback HD 12K Drop Leg Jack	Pull Type	Bumper
Axles	2	Suspension Type	Leaf Spring Suspension
Msrp	8080	Construction	Steel

Warranty	3-Year Frame and Component Overall Protection 1-Year Tire Hazard and Abuse Protection 5-Year Standard Tire Warranty 5-Year Axle and Suspension Warranty	Length	297in / 24ft 9in
Brakes	Yes - Both Axles	Lights	LED
Tires	235/80R16 LRE	Width	84in / 7ft
Load Securement	D-Rings Stake Pockets	Beavertail	YES
Frame	6" C-Channel		

<https://roxburytrailers.com/unit/2026-sure-trac-7x18-14k-equipment-trailer-tool-box-spare-tire-1190904>

Price: \$7,395.00

MSRP: \$8,080.00

Description

Turn-Key Commercial Asset: 2026 Sure-Trac 7x18 14K Heavy-Duty Equipment Trailer

Pre-Equipped with Locking A-Frame Toolbox & Mounted Spare Tire – Ready to Work

Built for civil contractors, excavation crews, and landscape professionals, the 2026 Sure-Trac 7x18 14K Equipment Trailer is engineered to handle heavy tracked and wheeled machinery day after day. Constructed with a deep 6-inch structural steel channel frame, tight 16-inch crossmember spacing, and commercial slipper spring suspension, this platform delivers 11,050 lbs of true net payload capacity.

This lot-ready unit comes custom-spec'd from the factory with two crucial jobsite necessities already installed: a locking front A-frame toolbox to secure your chains and binders, and a matching 10-ply radial spare tire mounted on the tongue. Hook up and head straight to the jobsite with zero extra setup required.

Key Capacities & Dimensions

- GVWR: 14,000 lbs (Heavy Commercial Class)
- Curb Weight: Approx. 2,950 lbs
- Net Payload Capacity: Approx. 11,050 lbs
- Deck Dimensions: 82" Wide (Between Fenders) x 18' Long (216")
- Deck Height: 24" Low Loading Profile

- Overall Length: 266"
-

Technical Specifications

Feature Specification

Main Frame & Tongue 6" Heavy Structural Steel Channel Frame
Crossmembers 3" Steel Channel on 16" On-Center Spacing
Running Gear (2) 7,000 lb. Heavy-Duty Slipper Spring Brake Axles
Braking System Electric Brakes on BOTH Axles with Breakaway Battery Kit
Tires & Wheels ST235/80R16 LRE 10-PLY Radials on 16" 8-Lug Steel Wheels
Spare Tire Included Matching 10-Ply Spare Mounted on Tongue
Toolbox Storage Factory-Installed Locking A-Frame Steel Tongue Box
Rear Ramps 5' HD Fabricated Stand-Up Ramps with Stabilizer Support Feet
Decking 2" Pressure-Treated Pine Wood
Tongue Jack HD 12,000 lb. Set-Back Drop-Leg Jack
Coupler Adjustable 2-5/16" Ball Coupler
Tie-Down Infrastructure (4) Welded Heavy-Duty D-Rings & Perimeter Stake Pockets
Fenders Heavy-Duty Double-Break Steel Tread Plate Fenders
Finish & Lighting High-Gloss Black Polymer Finish / Full DOT LED Lighting Package

Turn-Key Commercial Highlights

1. Complete "Ready-to-Work" Upgrades Included

- Factory A-Frame Toolbox: Integrated directly into the front wrapped tongue, providing lockable, weather-resistant storage for transport chains, ratchet straps, binder bars, and hitches.
- Tongue-Mounted Spare Tire: Equipped with a full-sized, matching 10-ply ST235/80R16 radial spare tire mounted safely out of the way on the side tongue rail, keeping your fleet protected against jobsite punctures.

2. Severe-Duty 6" Channel Frame & 16" OC Sub-Structure

Standard light-duty trailers utilize 4-inch or 5-inch frames that flex under concentrated machine loading. The Sure-Trac 14K is constructed around a rigid 6-inch structural steel channel frame and tongue, reinforced by 3-inch channel crossmembers spaced on tight 16-inch centers. This heavy framing stops deck bowing and prevents fatigue when loading steel-tracked mini excavators or heavy skid steers.

3. 14,000 Lb. Slipper Spring Axles & 10-Ply Radials

Riding on dual 7,000 lb. slipper spring axles, this trailer absorbs heavy impacts from rough construction site terrain better than standard double-eye springs. Power is transferred through heavy-duty 10-ply ST235/80R16 radial tires on 8-lug hubs, supported by electric drum brakes on all four wheels for controlled highway stopping.

4. 5' HD Stand-Up Ramps with Stabilizer Kickers

Loading heavy track gear requires an unyielding rear transition. The 5-foot fabricated steel stand-up ramps are built to withstand high point-loads and feature integrated rear support kickers. These

kickers brace against the ground as you drive onto the deck, preventing the trailer tongue from lifting your tow vehicle's rear axle.

5. Fleet Security & Convenience Features

- **12K Drop-Leg Jack:** The 12,000 lb. setback jack allows rapid footpad drop for fast hitching, positioned safely behind the coupler to allow complete tailgate drop clearance on your truck.
 - **Secured Rigging Architecture:** Equipped with four heavy welded D-rings and side stake pockets along the perimeter, providing clean anchor points for commercial grade-70 transport chains.
-

Pricing & Yard Terms

- **Price:** Cash/Check Price Listed
 - **Processing Fees:** A 3% processing fee applies to credit card transactions.
 - **Financing:** Competitive commercial financing options are available through multiple lenders.
 - **Dealer Fees:** \$0. We charge absolutely zero documentation, prep, or administrative fees.
 - **Documentation:** Temporary license plate/transit registration included with purchase for immediate road use.
 - **Sales Tax:** NJ residents pay 6.625% sales tax at purchase. Out-of-state buyers are exempt from NJ sales tax and pay their local rate at registration in their home state.
 - **Availability:** Please call the shop directly to confirm current lot stock!
-