

Oregon Trailers - Coburg

Phone: +15419521007
90711 Roberts Rd
Coburg, Oregon
Email: sales@oregontrailers.com



2026 Sure-Trac 6x12 Tube Top 3 Board Utility 3K GVWR

Type	Trailer or Truck Bed	Category	Utility Trailer
Stock#	CB492010	Location	Oregon Trailers - Coburg
Year	2026	Status	Available
Condition	New	Manufacturer	Sure-Trac
Model	STUTB7212-BP-030	Floor Length	144in / 12ft
Floor Width	72in / 6ft	GVWR	2990
Weight	1300	Payload Capacity	1690
Color	Black	Width Total	72
Fenders	Steel	Wheels	Steel Mod
Coupler	2"	Jack	Recessed, Top Wind
Pull Type	Bumper	Axles	1
Suspension Type	Leaf Spring Suspension	Clearance Price	3000
Construction	Steel	Length	144in / 12ft
Lights	Sealed Beam LED	Tires	Radial

Width	72in / 6ft	Gate	3-Position, Spring Assisted
Floor	2x6 Treated	Load Securement	HD D-Rings
Frame	Steel		

<https://www.oregontrailers.com/unit/2026-sure-trac-6x12-tube-top-3-board-utility-3k-gvwr-1192364>

Price: \$3,200.00

Sales Price: \$3,000.00

Description

The 2027 Sure-Trac ST-UTW7212-030 is a versatile 6' x 12' utility trailer built for homeowners, landscapers, and contractors who need a dependable trailer for everyday hauling. Featuring a 2,990 lb GVWR, durable steel construction, 22" tall treated lumber sides, and a spring-assisted rear gate, this trailer is ideal for hauling lawn equipment, ATVs, mulch, tools, and general cargo.

Specifications:

- Model: ST-UTW7212-030
- Year: 2027
- Series: Tube Top 3-Board Landscape & Utility
- Trailer Type: Utility Trailer
- Exterior Dimensions: 6' x 12'
- GVWR: 2,990 lbs
- GAWR: 3,500 lbs
- Empty Weight: 1,300 lbs
- Payload Capacity: 1,690 lbs

Construction:

- Frame: 3" x 2" x 3/16" Angle
- Crossmembers: 3" x 2" x 3/16" Angle, 24" On-Center
- Top Rail: 2" x 2" Square Tube
- Uprights: 2" x 2" Square Tube
- Tongue: 3" Channel A-Frame
- Side Height: 22"
- Side Material: 5/4 Treated Lumber Sides and Front
- Decking: 2" x 6" Pressure-Treated Pine
- Finish: Industrial Grade Polymer Finish, High Gloss Black

Running Gear:

- Axle: 3,500 lb Easy Lube Idler Axle
- Suspension: Leaf Spring Suspension
- Tires: 205/75R15 Load Range C Radials
- Wheels: 15" Steel Wheels

Coupler & Jack:

- Coupler: 2" A-Frame Ball Coupler
- Jack: Setback 2,000 lb Zinc-Plated Jack

Lighting & Electrical:

- All LED Lighting
- 4-Way Flat Molded Plug

- Protected Wiring System

Included Features:

- Full-Width Spring-Assisted Mesh Ramp Gate with Handle
- Four Tie-Down Rails
- Front and Rear Board Retainers
- Safety Chains
- Self-Retained Gate Pins
- Spare Tire Carrier
- Tread Plate Square-Rolled Fenders

Dimensions:

- Bed Length: 144"
- Width Between Fenders: 69.5"
- Overall Length: 185"
- Deck Height: 18"
- Coupler Height: 16"

STOCK# CB492010

Oregon Trailers

90711 Roberts Rd

Coburg Or 97408

541-952-1007
