

Roxbury Trailers



Phone: +19732242171
364 West Dewey Ave
Wharton, New Jersey
Email: sales@roxburytrailers.com

2027 Sure-Trac 7x14 Steel High Side Utility Trailer w/2ft Sides

Type	Trailer or Truck Bed	Category	Utility Trailer
Stock#	9081	Location	Roxbury Trailers
Year	2027	Status	Pending Sale
Condition	New	Manufacturer	Sure-Trac
Model	STUSH8214-070	Floor Length	168in / 14ft
Floor Width	82in / 6ft 10in	Floor Height	18in / 1ft 6in
GVWR	7000	Weight	2120
Payload Capacity	4880	Axle Capacity	3500
Color	Black	Coupler	2-5/16 Ball
Jack	2k Set Back	Pull Type	Bumper
Axles	2	Suspension Type	Leaf Spring Suspension
Construction	Steel	Warranty	3-Year Frame and Component Overall Protection 1-Year Tire Hazard and Abuse Protection 5-Year Standard Tire Warranty 5-Year Axle and Suspension Warranty
Length	215in / 17ft 11in	Brakes	Electric - both axles
Lights	LED	Tires	ST205/75R15C 6-PLY
Side Wall Height	24in / 2ft	Gate	YES
Load Securement	D-Ring Tie downs + Top Rail		

Price: \$5,995.00

Description

High-Volume Professional: 2026 Sure-Trac 7x14 7K Steel High Side (Upgraded 2ft Walls)

If you need the containment of a dump trailer without the hydraulic price tag, this is the build. We took the standard Sure-Trac Tandem Axle High Side and upgraded it to factory 24-inch (2ft) solid steel walls. At 14 feet long with a 7,000 lb GVWR, this trailer is a high-volume beast. It is the perfect setup for landscape crews hauling heavy brush, contractors moving demo debris, or property owners who need to move massive loads of mulch and soil without losing half of it on the highway.

The 2-Foot High Side Advantage

- **Maximum Containment:** Standard models come with 13" sides. This factory 2-foot upgrade nearly doubles your volume, turning the trailer into a massive steel bin. It's engineered to handle high-stacking loads that would spill out of a traditional utility trailer.
 - **Tandem Axle Stability:** With dual 3,500 lb. braking axles, this unit provides superior weight distribution and highway tracking. You get nearly 5,000 lbs of net payload capacity, making it as capable as it is large.
 - **4" Integrated Tie-Down Rail:** A heavy-duty rail runs the entire perimeter of the 2ft sides, providing infinite anchor points for tarps and straps while reinforcing the structural integrity of the walls.
 - **Fold-Flat HD Ramp Gate:** The spring-assisted gate is built for one-handed operation. It features a fold-flat design that allows the gate to lay flush against the deck when towing empty, significantly reducing wind drag and fuel consumption.
-

Technical Specifications

GVWR 7,000 lbs
Curb Weight 2,120 lbs
Net Payload 4,880 lbs
Axles (2) 3,500 lb. Spring Brake Axles
Side Height Upgraded 24" (2ft) Solid Steel
Decking 2" Pressure Treated Pine w/ Board Retainers
Tie-Downs (6) 1/2" D-Rings + Perimeter Rail
Tires ST205/75R15C 6-PLY Radials

Standard Professional Features

- **Set-Back Jack:** Positioned further back on the 4" steel channel tongue to ensure you can fully lower your truck's tailgate without hitting the jack.
- **Industrial Grade Polymer Finish:** A high-gloss, multi-stage finish designed to resist the wear and tear of abrasive debris and fight off corrosion.

- Self-Retained Gate Pins: No loose parts to lose. These pins stay locked to the trailer during loading and unloading.
 - Full LED Lighting: DOT-compliant LEDs are sealed and protected within the frame for maximum reliability.
 - HD Tread Plate Fenders: Double-break fenders built to withstand the impact of a professional job site.
-

Purchase & Logistics

- Ready to Work: We include a temporary license plate with every purchase so you can hit the road immediately.
 - Transparent Pricing: The listed price reflects a Cash/Check discount.
 - o Credit Card: 3% processing fee.
 - Taxes: NJ residents pay 6.625% sales tax. Out-of-state buyers pay their local tax at the time of registration.
 - Accuracy: We move inventory fast—please call to confirm exact options and availability on our Wharton lot.
-