

Acton

Phone: +16612331166
4519 Sierra Highway
Acton, California
Email: nsultana@tss786.com



2026 Mahindra 1626 TL Tractor

Type	Equipment	Category	Tractor
Stock#	18414	VIN	26H250841134
Location	Acton	Year	2026
Status	Available	Condition	New
Manufacturer	Mahindra	Model	1626 TL
Msrp	30000	Monthly Payment	526

<https://tss786.com/unit/2026-mahindra-1626-tl-tractor-1233294>

Price: \$27,950.00

MSRP: \$30,000.00

Monthly Payment: \$526.00

Description

Condition: New

Manufacturer: Mahindra

Model: 1626 HST

Series: 1600 Series

Tractor Type: Compact Utility Tractor

Configuration: Tractor + Front-End Loader

Engine Power: 25.9 HP

Engine: 3-Cylinder Diesel

Drive: 4WD

Transmission: 3-Range Hydrostatic (HST)

Steering: Hydrostatic Power Steering

Engine

Mahindra 3-Cylinder, Four-Stroke, Water-Cooled Diesel Engine

Horsepower

25.9 HP

Cylinders

3-Cylinder Diesel

Emission System

Mahindra mCRD Engine Technology – No Diesel Particulate Filter (DPF)

Drive System

Four-Wheel Drive (4WD)

Transmission

3-Range Hydrostatic Transmission (HST)

Travel Speeds

Infinite Forward and Reverse within Three Ranges

Steering

Hydrostatic Power Steering

Hydraulic System

Open-Center Hydraulic System

Maximum Hydraulic Flow

10.8 GPM

Main Hydraulic Pump

7.5 GPM

Steering Pump

3.3 GPM

3-Point Hitch

Category I Three-Point Hitch with Telescoping Stabilizers

3-Point Hitch Lift Capacity

2,646 lbs at Lift Point

3-Point Hitch Lift Capacity @ 24"

1,720 lbs

Front-End Loader

Mahindra 1626L Front Loader

Loader Lift Capacity

1,653 lbs at Full Height at Pivot Pin

Loader Maximum Lift Height

84"

Loader Digging Depth

3"

Loader Breakout Force

2,557 lbs

Loader Bucket Width

64"

Loader Weight

Approx. 582 lbs

Loader Control

Single-Lever Joystick Loader Control

Compatible Backhoe

Mahindra 1626B Backhoe

Backhoe Maximum Digging Depth

85"

Backhoe Digging Force – Bucket

2,822 lbs

Backhoe Digging Force – Dipper

1,748 lbs

Backhoe Bucket Size

12"

PTO

Rear PTO

PTO Speed

540 RPM

Battery

12V, 540 CCA

Alternator

12V, 50 Amp

Operator Features

mComfort Seat, Hydrostatic Power Steering, Ergonomically Positioned Controls, Loader Joystick, Easy-to-Read Instrumentation and Spacious Operator Platform

Warranty

7-Year Limited Powertrain Warranty

Overall Construction

Powerful and versatile 25.9 HP compact utility tractor designed for demanding property, ranch, farm, and commercial applications. The Mahindra 1626 HST combines four-wheel drive with a smooth 3-range hydrostatic transmission, Category I three-point hitch, strong hydraulic performance, and Mahindra's mCRD diesel engine technology without a DPF. When equipped with the Mahindra 1626L front loader, it delivers up to 1,653 lbs of lift capacity at full height and 2,557 lbs of breakout force. Ideal for material handling, grading, landscaping, mowing, dirt work, ranch maintenance, property maintenance, and general-purpose tractor applications.
