

Acton

Phone: +16612331166
4519 Sierra Highway
Acton, California
Email: nsultana@tss786.com



2026 Mahindra 1640 TL Tractor

Type	Equipment	Category	Tractor
Stock#	184199	VIN	40H250850330
Location	Acton	Year	2026
Status	Available	Condition	New
Manufacturer	Mahindra	Model	1640 TL
Msrp	39899.99	Monthly Payment	700

<https://tss786.com/unit/2026-mahindra-1640-tl-tractor-1233295>

Price: \$37,699.99

MSRP: \$39,899.99

Monthly Payment: \$700.00

Description

Condition: New
Manufacturer: Mahindra
Model: 1640 HST
Series: 1600 Series
Tractor Type: Compact Utility Tractor
Configuration: Tractor + Front-End Loader
Engine Power: 38.7 HP
Engine: 4-Cylinder Diesel
Engine Displacement: 166.7 cu. in. / 2,732 cc

Rated Engine Speed: 2,400 RPM
Drive: 4WD
Transmission: 3-Range Hydrostatic (HST)
Fuel Capacity: 7.7 Gallons
Steering: Hydrostatic Power Steering
Engine
Four-Stroke, Naturally Aspirated, Direct-Injection, Water-Cooled Diesel Engine
Horsepower
38.7 HP (28.9 kW) @ 2,400 RPM
Displacement
166.7 cu. in. (2,732 cc)
Cylinders
4-Cylinder Diesel
Fuel Capacity
7.7 Gallons
Emission System
Mahindra mCRD Engine Technology
Drive System
Four-Wheel Drive (4WD)
Transmission
3-Range Hydrostatic Transmission (HST)
Travel Speeds
Infinite Forward and Reverse Within Three Ranges
Brakes
Wet Disc Brakes
Steering
Hydrostatic Power Steering
Rear PTO
Live Rear PTO
Rear PTO Speed
540 RPM
PTO Horsepower
29.9 HP
Mid PTO
2,000 RPM – Optional
Hydraulic System
Open-Center Hydraulic System
Implement Pump Output
7.7 GPM
Maximum Hydraulic Flow
11.4 GPM
3-Point Hitch
Category I Three-Point Hitch with Telescoping Stabilizers & Flex Links
3-Point Hitch Lift Capacity
2,646 lbs at Lift Point
3-Point Hitch Lift Capacity @ 24"
Approx. 1,720 lbs
Front-End Loader
Mahindra 1640L Front Loader
Loader Lift Capacity

1,830 lbs at Full Height at Pivot Pin

Loader Maximum Lift Height

92"

Loader Digging Depth

3"

Loader Breakout Force

2,777 lbs

Loader Bucket Width

64"

Loader Control

Single-Lever Joystick Loader Control

Loader Weight

Approx. 623 lbs

Compatible Backhoe

Mahindra 1660B Backhoe

Backhoe Maximum Digging Depth

98"

Backhoe Digging Depth – 2' Flat Bottom

95"

Backhoe Bucket Digging Force

3,192 lbs

Backhoe Dipper Digging Force

2,162 lbs

Backhoe Standard Bucket

16"

Backhoe Weight

Approx. 1,100 lbs

Battery

12V, 925 CCA

Alternator

12V, 90 Amp

Operator Features

mComfort Seat, Hydrostatic Power Steering, Ergonomically Positioned Controls, Smooth HST

Forward and Reverse Pedals, Loader Joystick, Easy-to-Read Instrumentation and Spacious

Operator Platform

Warranty

7-Year Limited Powertrain Warranty

Overall Construction

Powerful 38.7 HP compact utility tractor designed for demanding property, ranch, farm, landscaping, and commercial applications. The Mahindra 1640 HST combines a 4-cylinder diesel engine with four-wheel drive, a smooth 3-range hydrostatic transmission, Category I three-point hitch, strong hydraulic performance, and Mahindra's heavy-duty 1640L front-end loader. The loader delivers up to 1,830 lbs of lift capacity at full height and 2,777 lbs of breakout force. With a 2,646 lb three-point hitch capacity and compatibility with the Mahindra 1660B backhoe, the 1640 is well suited for material handling, grading, dirt work, landscaping, mowing, ranch maintenance, construction, and general-purpose tractor applications.
