

Bridge Trailers

Phone: +18778346606
4816 State Rte 101
Woodburn, Indiana
Email: jason@bridgetrailers.com



2027 Diamond C Trailers HDT207L20X82 (82" X 20') 15.5K Partial Tilt Equipment Trailer

Type	Trailer or Truck Bed	Category	Tilt Trailer
Stock#	V1317951	Location	Bridge Trailers
Year	2027	Status	Available
Condition	New	Manufacturer	Diamond C Trailers
Model	HDT207L20X82	Floor Length	240in / 20ft
Floor Width	82in / 6ft 10in	Floor Height	24in / 2ft
GVWR	15500	Weight	3680
Payload Capacity	11820	Axle Capacity	14000
Color	Black	Pull Type	Bumper
Axles	2	Purchase Date	2025-12-01T00:00:00.000000Z
Expected Date	2025-12-01T00:00:00.000000Z	Construction	Steel
Length	308in / 25ft 8in	Height	24in / 2ft
Width	102in / 8ft 6in		

Price: \$12,799.00

Description

#Diamond C Heavy-Duty Bumper Pull Equipment Tilt Trailer (Model HDT)

Overview

Built for smooth towing, low-profile loading, and dependable heavy equipment hauling, this **Diamond C HDT** bumper pull tilt trailer features a **20' total deck length** (4' stationary + 16' tilt bed) with an 82" deck width. Constructed on an **8" x 10 lb I-Beam frame** with an **Integral I-Beam Tongue**, this unit is equipped with low-profile **7K Drop Axles**, **3/16" Super Heavy-Duty Diamond Plate Fenders**, and a simple, low-maintenance **Hydraulically Dampened Gravity Tilt System** ideal for skid steers, tractors, and compact machinery.

Key Specifications & Features

Dimensions & Deck Structure

- **Frame Size:** L20 x 82" Wide
- **Deck Configuration:** 20' Total Length (4' Front Stationary Deck / 16' Hydraulically Dampened Tilt Bed)
- **Flooring:** 2" Treated Wood Decking
- **Cross-Members:** 3" I-Beam on 16" Centers
- **Fenders:** 3/16" Heavy-Duty Diamond Plate Fenders for maximum impact resistance

Frame & Hitch Configuration

- **Main Frame:** 8" x 10 lb I-Beam Construction
- **Tongue:** Integral I-Beam Tongue (seamlessly integrated into the frame structure)
- **Coupler:** 2-5/16" 21,000 lb Demco EZ-Latch Adjustable Channel Coupler
- **Jack:** Single 15,000 lb SIMOL 2-Speed Drop-Leg Jack for easy cranking under load
- **Storage & Utility:** Heavy-Duty V-Tongue Box with Lid and integrated Fork Holder

Running Gear & Suspension

- **Axles:** Dual 7,000 lb Drop Axles (14,000 lb GVWR rating) with Electric Drum Brakes for a lower deck height and easier loading angle
- **Suspension:** 6-Leaf Slipper Roller Springs for heavy-duty load distribution
- **Tires & Wheels:** ST235/80R16 Radial 14-Ply Tires on 8-Hole Black Steel Wheels

Tilt System & Tie-Downs

- **Tilt Mechanism:** Hydraulically Dampened Gravity Tilt System for controlled, safe, and low-maintenance equipment loading

- **Perimeter Rail:** 2" x 3/8" Rub Rail with integrated Stake Pockets
- **Tie Downs:** 8 Heavy-Duty 5/8" D-Rings (4 standard + 4 extra)

Finish & Electronics

- **Paint:** Premium Onyx Black Finish
 - **Lighting:** All-LED Lighting Package
-