

Prairie Wind - Humboldt

Phone: +16053634000
1400 W 2nd Ave
Humboldt, South Dakota
Email: sales@prairiewindtrailers.com



2027 H&H Trailers 24' Cargo H10124FTCHV-140 Cargo / Enclosed Trailer

Type	Trailer or Truck Bed	Category	Cargo / Enclosed Trailer
Stock#	626710	Location	Prairie Wind - Humboldt
Year	2027	Status	On Order
Condition	New	Manufacturer	H&H Trailers
Model	24' Cargo H10124FTCHV-140	Floor Length	288in / 24ft
Floor Width	101in / 8ft 5in	GVWR	14000
Payload Capacity	9680		
Color	Charcoal	Pull Type	Bumper
Axles	2	Construction	Steel Frame / Aluminum Skin
Nose Type	V Front		

<https://prairiewindtrailers.com/unit/2027-h-h-trailers-24-cargo-h10124ftchv-140-cargo-enclosed-trailer-1248823>

Call for Price

Description

2026 H&H Trailers 24' Cargo H10124FTCHV-140 Cargo / Enclosed Trailer - 7000 LB Axles, PosiVents, Side Door Bar Latch, +12" of Height, 82.5" Tall Door Opening, Black Trim, Rear Spoiler, Aluminum Rims, Light Roof Lid - REP PHOTO

GVWR 14000 lbs

GAWR (lbs/axle) 7000 lbs/axle

Curb Weight 4240 lbs

Payload 9760 lbs

Width 8.5'

Length 24'

Overall Length 349"

Deck Length 315"

Deck Width 98.5"

Deck Height 23"

Length Interior Box 315"

Height Overall 99"

Interior Height 73.5"

Height Deck 23"

Width Interior 98.5"

Width Between Fender 82"

Width Rear Opening 95"

Type ENCLOSED

Axle (2) 7000 lb. Drop Spring Brake

Connector Plug Round 7-pin Blade

Coupler 2-5/16" Adjustable

Crossmembers Steel Formed Channel, 16" On-Center

Dovetail 4' Interior

Exterior Fastening VHB Bonded (Screwless)

Exterior Finish .030" Aluminum

Exterior Lights Full LED, DOT Compliant

Fenders Teardrop Smooth Aluminum

Flooring 3/4" Engineered Wood

Frame 6" x 2" Steel Tube

Front Profile V-Nose

Hubs Easy Lube

Interior Lights (2) LED Dome Lights, Wall Mount

Interior Trim Aluminum H-Channel Wall Transitions

Interior Walls Engineered Wood

Protective Coating(s) Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel

Ramp(s) 400 Series with Assist

Roof Flat Top .024 Aluminum Sheeted

Roof Bows Galvanized Steel Tube, 16" On-Center

Safety Chains DOT Compliant

Side Door 36" Wide Flush Lock, Aluminum Holdback

Stone Guard 24" ATP

Tie Downs (4) Floor Mounted, Non-swivel Recessed D-Rings

Tires ST235/80R16E 10-PLY

Tongue 6" x 2" Steel Triple Tube

Tongue Jack 7K Drop Leg, Set-Back

Wall Posts Steel Tube, 16" On-Center

Warranty Limited 3-Year Warranty
Wheels 16", 8-Lug Steel
Wiring Enclosed in Conduit
