

Winter's Automotive & Trailers

Phone: +17172523464
39 W Maple St.
East Prospect, Pennsylvania
Email: chad@wintertrailers.com



2027 Cam Superline GN8.5X30 HD DECKOVER Gooseneck Bodies

Type	Trailer or Truck Bed	Category	Gooseneck Bodies
Stock#	0849	VIN	5JWCK3927VP550849
Location	Winter's Automotive & Trailers	Year	2027
Status	Available	Condition	New
Manufacturer	Cam Superline	Model	GN8.5X30 HD DECKOVER
Floor Length	360in / 30ft	Floor Width	102in / 8ft 6in
GVWR	22500	Weight	7375
Payload Capacity	15125	Axle Capacity	10000
Color	Black	Wheels	STEEL
Coupler	2 5/16	Jack	Dual 12K Drop Leg
Pull Type	Gooseneck	Axles	2
Suspension Type	Leaf Spring Suspension	Construction	Steel
Warranty	FACTORY	Brakes	ELECTRIC DRUM
Lights	LED	Tires	ST235/80R16 E 10 PLY
Gate	SUPER RAMPS	Floor	TREATED
Beavertail	5'	Frame	STEEL

Clearance Price	18999		
-----------------	-------	--	--

<https://wintertrailersales.com/unit/2027-cam-superline-gn8-5x30-hd-deckover-gooseneck-bodies-1253998>

Price: \$20,999.00

Sales Price: \$18,999.00

Description

2027 CAM SUPERLINE GOOSENECK 8.5X30 DUAL AXLE TANDEM

Heavy Duty Deckover Trailer

CAM Superline® Heavy Duty Deckover Trailers are built for serious hauling—combining full-width flatbed utility with robust construction to tackle the toughest equipment transport jobs. Available in both bumper pull and gooseneck styles, these trailers are engineered for performance, durability, and safety in every haul.

Key Benefits

I-Beam Frame – Strength Where it Matters

A full 12” I-Beam main frame provides unmatched structural integrity, making this deck over trailer ideal for heavy-duty equipment transport.

5’ Self-Cleaning Beavertail – Hassle-Free Loading

The integrated beavertail design allows for smooth loading and unloading, while its open-grid structure sheds dirt and debris automatically.

Heavy Duty, Fold-Flat, Spring-Assist Ramps – Built for Efficiency

Massive, double-hinged ramps fold flat for transport and feature spring assists for easy operation even with heavy loads.

Diamond-Plate Steel Deck Over Wheels – Added Durability Where it Matters Most

The flatbed trailer decking over the wheels uses rugged diamond plate steel for maximum wear resistance.

Why Choose a New Heavy Duty Deckover Trailer?

Overview

CAM Superline®’s Heavy Duty Deckover Trailers are engineered for maximum strength and versatility. These full-width flatbeds are built on a 12” I-Beam main frame and feature full pierced beam construction, providing the foundation needed for transporting large, heavy equipment with confidence. Whether you choose a bumper pull or gooseneck configuration, both are designed to offer exceptional handling, balance, and long-term durability.

Available Models

Choose from four core sizes in each configuration: 20’+5’ and 25’+5’ beds with GVWRs of 22,500 lb. or 25,900 lb. Bumper pull models use an adjustable pintle ring and 12K drop leg jack, while the gooseneck version adds a heavy-duty I-Beam neck and elevated coupler height for improved stability under load.

Standard Features

Each model comes equipped with a 5’ self-cleaning beavertail, fold-flat spring assist ramps, and a diamond-plate steel deck over wheels. Additional standard features include D-ring tie-downs, stake pockets with rub rail, sealed wiring harness, LED lights, and side steps. All trailers ride on slipper spring suspension with dual 235/80R16 tires, and are finished with a premium industrial grade polymer coating. A three-year warranty backs every trailer for peace of mind.

Options

Customize your trailer to suit your workflow. Available upgrades include hydraulic disc brakes, midship turn signals, and full-width Super Ramps for even broader equipment compatibility. You can also swap to oak decking or upgrade the entire bed to steel. Additional options like 4" sliding winches and underbody tool boxes enhance both utility and convenience on the job site.

8.5 x 30 (25+5) HD Deckover Gooseneck 22.5K

GVWR (lbs)

22500 lbs

GAWR (lbs/axle)

10000 lbs/axle

Curb Weight

7375 lbs

Payload

15125 lbs

Width

8.5'

Length

30'

Overall Length

486"

Deck Height

32"

Coupler Height

31-39.75

Length Ramp

60

Height Coupler

31-39.75

Height Deck

32"

Width Ramp

21

Type

OPEN

Axle

(2) 10000 lb. Slipper Spring Brake

Beavertail

5' Cleated

Breakaway

Zip™ Cable and Switch, Battery

Connector Plug

Round 7-pin Blade

Coupler

2-5/16" Adjustable Gooseneck

Crossmembers

3" Steel Channel

Decking

2" Pressure Treated Pine, Steel Tread Plate Over Wheels

Exterior Finish

Industrial Grade Polymer Finish

Exterior Lights

Full LED, DOT Compliant

Exterior Storage
Integrated Gooseneck Toolbox, Tool Tray and Winch Receiver Tube (In Neck)
Frame
12", 19 lb/ft I-Beam, Side Rails - 6" Steel Channel
Hubs
Oil Bath
Integrated Step(s)
Side Steps
Mud Flaps
Large, 20"W x 24"L
Ramp(s)
Double Spring Assist, Dual Fold-Over
Safety Chains
DOT Compliant
Tie Downs
(8) 5/8" D-Rings, Stake Pockets and Rub Rail
Tires
ST235/80R16E 10-PLY
Tongue Jack
Dual 12K Drop Leg
Wheels
16" Dual, 8-Lug Steel
FACTORY WARRANTY
WINTERSTRAIELRS.COM

Features

- Doors, Windows & Ramps
 - Dovetail
 - Fold Up Split Ramps
- Exterior Features
 - Baked Paint
 - D-Ring Installed
 - Side Rails
 - Side Stake Pockets
 - Treated Wood Floor
 - Wood Floor
- Jack & Coupler Features
 - Manual Jack
 - 2 5/16" Coupler
- Safety Convenience & Electrical
 - 7Way Plug
 - DOT Approved Lighting
 - Insulated Wire Harness
 - LED Lighting
 - Spare Tire Mount
- Wheels & Suspension Features
 - Break away Switch
 - 8 Hole Wheels
 - Electric Brake(s)

- Spring Suspension