

Double D Outdoor Equipment

Phone: +18505263456
4909 HWY 90
Marianna, Florida
Email: dylan@doubledoutdoor.com



2026 TYM Tractors T474H HST 4WD

Type	Equipment	Category	Tractor
Stock#	T474H	Location	Double D Outdoor Equipment
Year	2026	Status	Available
Condition	New	Manufacturer	TYM Tractors
Model	T474H 4WD		
Color	Red	Clearance Price	30999
Msrp	35750		

<https://doubledoutdoor.com/unit/2026-tym-tractors-t474h-hst-4wd-1274399>

Price: \$30,999.00

MSRP: \$35,750.00

Sales Price: \$30,999.00

Description

TYM T474H 48.3 HP HST Compact Tractor with TX47 Front-End Loader
SERIOUS POWER. COMPACT SIZE. READY TO WORK.

The TYM T474H delivers the power and versatility you need for demanding property maintenance, farming, landscaping, and material-handling jobs while maintaining the maneuverability of a compact tractor.

Powered by a 48.3-horsepower, 4-cylinder TYM diesel engine, the T474H combines 4WD, hydrostatic transmission, independent 540 RPM PTO, strong hydraulic performance, and a capable 3-point hitch to give you one versatile machine for a wide range of jobs.

Paired with the TYM TX47 front-end loader, the T474H is ready to move dirt, gravel, mulch, brush, firewood, manure, and other materials around your property. The loader provides a 2,152-lb lift capacity at the pivot point at maximum height and a maximum lift height of approximately 105.6 inches.

TRACTOR SPECIFICATIONS

Engine

- ? Model: TYM T2300N2
- ? Engine: 4-cylinder diesel
- ? Gross Engine Power: 48.3 HP
- ? Displacement: 139.5 cu. in. / 2,286 cc
- ? Rated Engine Speed: 2,600 RPM
- ? PTO Horsepower: Approximately 31.8–35.9 HP depending on specification/configuration

Transmission & Drivetrain

- ? Transmission: 3-Range Hydrostatic (HST)
- ? Drive: 4WD
- ? Speeds: 3-range HST
- ? Steering: Hydrostatic
- ? Brakes: Wet disc
- ? Maximum Travel Speed: Approximately 18.4 MPH

Hydraulics & 3-Point Hitch

- ? Hydraulic Pump: Dual gear pump
- ? Implement Flow: 7.7 GPM
- ? Steering Flow: 4.3 GPM
- ? Total Hydraulic Flow: 11.9 GPM
- ? 3-Point Hitch: Category I
- ? 3-Point Lift Capacity: Approximately 2,646–2,690 lb
- ? Lift Capacity at 24" Behind Link Ends: Approximately 1,764 lb
- ? Rear Remote: 1 standard; additional remote available

PTO

- ? Rear PTO: 540 RPM
- ? Independent PTO
- ? Electric/hydro PTO control

Capacities

- ? Fuel Tank: 9.0 gallons
- ? Coolant: 6.9 qt
- ? Engine Oil: 6.8 qt
- ? Transmission/Hydraulic System: 8.5 gallons

Dimensions & Weight

- ? Overall Length: Approximately 131"
- ? Overall Width: Approximately 54.5"
- ? Wheelbase: Approximately 68.9"
- ? Height to Top of ROPS: Approximately 94.5"
- ? Ground Clearance: Approximately 12.8"
- ? Weight with ROPS: Approximately 3,333 lb

? Minimum Turning Radius with Brakes: Approximately 106.7"
