

Savannah GA

Phone: +19122350200
564 Longwood Dr
Richmond Hill, Georgia
Email: keith@iwtrailers.com



***AIR RIDE EQUIPPED* 2027 44ft (32ft Deck + 12ft Hyd Dove) FMAX 216, 16K Axles, 60" Spread, LOADED !!!!**

Type	Trailer or Truck Bed	Category	Flatbed Trailer
Stock#	FMAX2167909	VIN	46UDF442XV1317909
Location	Savannah GA	Year	2027
Status	Available	Condition	New
Manufacturer	Diamond C Trailers	Model	FMAX216
Floor Length	528in / 44ft	Floor Width	102in / 8ft 6in
GVWR	40000	Weight	11040
Payload Capacity	28960	Axle Capacity	16000
Color	White	Pull Type	Gooseneck
Axles	2	Construction	Steel

<https://iwtrailers.com/unit/air-ride-equipped-2027-44ft-32ft-deck-12ft-hyd-dove-fmax-216-16k-axles-60-spread-loaded-1287894>

Price: \$55,297.00

Description

FMAX216 2.0 Engineered Beam Gooseneck Trailer – Pacesetter Edition

Key Specs

44' x 102" frame size

40,000 lb GVWR (**Subject to FET Tax)

Pacesetter Edition

Heavy-duty engineered beam construction

12' fully automatic hydraulic dovetail

Air ride suspension with front lift axle

60" spread axle configuration

Frame & Construction

Heavy-duty engineered beam frame

3" I-beam crossmembers on 16" centers

12" engineered gooseneck

2" treated wood floor

Standard sway control pipe

Heavy-duty 40K gooseneck configuration

Suspension

Air ride suspension

Front lift axle

60" spread axle configuration

Dovetail & Loading

12' fully automatic hydraulic dovetail

5-amp charger

Full steel dovetail runners with cleats

Designed for heavy equipment loading and unloading

Coupler & Jacks

40K square gooseneck coupler – 3" ball

Dual 20,000 lb hydraulic jacks

Tires & Wheels

ST215/75R17.5 dual 18-ply radial tires

8-lug, 275mm bolt pattern

Aluminum outer wheels

Matching ST215/75R17.5 dual 18-ply spare tire

Black spare wheel

Retractable under-frame cable winch spare mount

Cargo Securement

Passenger-side slide track

(1) welded ratchet

(6) 4" sliding ratchets

Storage & Convenience

Gooseneck storage box integrated into winch tray

14" x 14" x 42" under-slung storage box

102" under-slung dunnage rack

Retractable under-frame spare tire mount

Power & Electrical

Group 27 battery

SolarPulse 7-watt charging system

5-amp hydraulic dovetail charger

Lighting

All LED lighting

(2) 6" oval LED caution flashers with switch

(1) pair of bolt-on 2,000-lumen LED floodlights

(4) additional pairs of clearance lights

Finish

Arctic White paint

FMAX216 decals
