

R&P Carriages

Phone: +18153573292

270 East Jackson St

Seneca, Illinois

Email: ken@needatrailer.com



2027 Midsota FBGD 102x24 14K Deckover Trailer

Type	Trailer or Truck Bed	Category	Deckover Trailer
Stock#	29882	Location	R&P Carriages
Year	2027	Status	Available
Condition	New	Manufacturer	Midsota
Model	FBGD 102x24 Deck Over 14K	Floor Length	288in / 24ft
Floor Width	102in / 8ft 6in	Floor Height	34in / 2ft 10in
GVWR	14000	Weight	4925
Payload Capacity	9075	Axle Capacity	7000
Color	Black	Fenders	no
Wheels	16-inch 8-lug steel rims	Coupler	Adjustable 2 5/16 Demco EZ Latch coupler
Jack	12K drop lug jack	Pull Type	Bumper
Axles	2	Suspension Type	Leaf Spring Suspension
Construction	Steel	Length	358in / 29ft 10in
Brakes	Electric brakes on all wheels.	Lights	DOT-compliant LED lights

Tires	235/80 R16, load range E	Height	34in / 2ft 10in
Width	102in / 8ft 6in	Gate	no
Floor	2x8 treated pine deck	Beavertail	5 ft. cleated beaver tail
Frame	High-strength fabricated I-beam frame		

<https://www.randpcarriages.com/unit/2027-midsota-fbgd-102x24-14k-deckover-trailer-1296127>

Price: \$13,100.00

Description

Combining everything that was loved about the Midsota CTO, ETO & STO Deck Overs, the new Midsota FBGD Series Deck Over is built perfectly to accommodate the needs of the hauler. With a high strength fabricated I-Beam frame, 16" Crossmembers & Adjustable Demco Coupler, nothing can get in your way of having a safe & secure haul. Built to be better than the rest.

Standard Features

10", 15 lb/ft I-Beam Frame
 5" Steel Channel Side Rails
 3" Steel Channel Crossmembers 16" On-Center
 10" Flange, 15 lb/ft I-Beam Tongue
 2 5/16" Adjustable Coupler Channel Mount, Demco EZ Latch
 DOT Compliant Safety Chains
 12K Drop Leg, Set-Back Jack
 HD Bulkhead with Integrated Tie-Down Points
 5' Cleated Beavertail
 Full Width Fold Over Wedge, Spring Assist Ramps
 (2) 7000 lb. Slipper Spring Easy Lube Brake
 Breakaway Battery, Switch, and Lanyard
 ST235/80R16E 10-PLY Tires on 16" 8 Lug Steel Rims
 Mud Flaps
 Industrial Grade Polymer Finish
 2" Pressure Treated Pine Decking
 Stake Pockets and Rub Rail
 A-Frame Steel Lockable Toolbox
Specifications
 Overall Length: 358" / 29' 10"
 Overall Width: 102" / 8' 6"
 Total Deck Length: 288" / 24'
 Flat Deck Length: 228" / 19'
 Dovetail Length: 60" / 5'
 Deck Width: 102" / 8' 6"
 Deck Height: 34" / 2' 10"
 Coupler Size: Adjustable 2 5/16"

Ramp Size: 48.5" wide x 60" long

Trailer Weight: 4920 lb

Payload Capacity: 9075 lb

*GVWR: 14000 lb
