

Prairie Wind - Humboldt

Phone: +16053634000
1400 W 2nd Ave
Humboldt, South Dakota
Email: sales@prairiewindtrailers.com



2027 PJ Trailers 16' UL Utility Trailer

Type	Trailer or Truck Bed	Category	Utility Trailer
Stock#	2690575	Location	Prairie Wind - Humboldt
Year	2027	Status	Available
Condition	New	Manufacturer	PJ Trailers
Model	16' UL	Floor Length	192in / 16ft
Floor Width	83in / 6ft 11in	GVWR	7000
Payload Capacity	7000		
Color	Black	Pull Type	Bumper
Axles	2	Construction	Steel

<https://prairiewindtrailers.com/unit/2027-pj-trailers-16-ul-utility-trailer-1302236>

Price: \$4,850.00

Description

New PJ Trailers 83 x 16 ATV Utility Trailer UL - Dove w/ 3' Ramp Gate, 3500 lb axles (brakes on both axles), 4' Channel Frame & Tongue, w/side ramps (side ramps store in the side rails),

removable sides & treadplate fenders, EZ lube hubs, swing away jack, New 15 tires & wheels, Rubber Mounted LED Lights, Primer Under The Powdercoat

UTILITY TRAILERS

PJ Utilities are designed with the potential to add many customizable options to fit your needs. The PJ Ready Rail offers a variety of accessories to get the job done. From the 8' single axle to the 22' tandem, we outfit each Utility with premium materials and components that ensure years of quality service in the field.

Standard Features

Trailer Specs

Dimensions

Deck Width: 83"

Deck Height: 21"

Weight Ratings

GVWR: 7,000 lbs.

GAWR: 3,500 lb. x (2) G.A.W.R.

Finish Type: Powdercoat

Prep: Acid Wash, Sandblast

Standard Coupler: BP 2" A-Frame

Front Jack: Bulldog Pipe Mount Swivel Jack (5,000 lb.)

Type: 4" Channel Wrapped Tongue

(Bumper Pull): 3' 7" (43")

Safety Chains: 5/16" Grade 30 Safety Chain w/Clevis hook (2 each)

Breakaway System: Defender 2 Electric Breakaway System

Flooring: 2" Treated Canadian Spruce Pine Fir Deck

Height: 21"

Deck Width: 83"

Inside Fender Width: 83"

Top Rail: 2" x 2" Top Rail

Uprights: 2" x 2" Removable Side Rail equipped with Ready Rail(

Ready Rail: Ready Rail System

Stake Pockets: 3-1/2" x 1-1/2" (ID) Stake Pockets

Fenders: 9" x 72" Treadplate Removable Aluminum Fenders

Channel Frame Size: 4"

Crossmembers Size: 2-1/2"

Type: Angle

Spacing: 24"

Radial Tires

Size: ST205/75R15

Ply: 6 ply

Rating: 1,820 lbs.

Rims: 15" Black Mod Wheels

Spare Tire: Optional

Axle Type: Spring

Axle Count: 2

Axle Rating: 3,500 lb.

Brakes: One Electric

Suspension Type: 4-Leaf Double-Eye Spring Suspension

Wiring Harness: All-Weather Wiring Harness (7-way RV)

Side Markers: DOT Approved Flushmount Lifetime LED Lights

Rear Lights: Flushmount 6" Oval Lifetime LED Tail Lights

1-Year PJ Comprehensive Warranty

3-Year PJ Structural Warranty

6-Year Limited Lippert Spring Axle & Suspension Systems Warranty

*Not Responsible for Any Errors In Listing Description Or Photos.

*Please Confirm All Details With Dealer Prior To Purchase.
