Bridge Trailers

Phone: +18778346606
4816 State Rte 101
Woodburn, Indiana
Email: jason@bridgetrailers.com

2027 Diamond C Trailers LPT208L14X81 (81" X 14') 18K (Pacesetter Pkg) Telescopic Dump Trailer

Type	Trailer or Truck Bed	**Category**	Dump Trailer
Stock#	V1320395	**Location**	Bridge Trailers
Year	2027	**Status**	Available
Condition	New	**Manufacturer**	Diamond C Trailers
Model	LPT208L14X81	**Floor Length**	168in / 14ft
Floor Width	81in / 6ft 9in	**GVWR**	18000
Weight	5290	**Payload Capacity**	12710
Axle Capacity	16000		
Color	Black	**Fenders**	7 GAUGE
Coupler	2-5/16"	**Jack**	2 SPEED
Pull Type	Bumper	**Axles**	2
Construction	Steel	**Length**	239in / 19ft 11in
Brakes	ELECTRIC DRUM	**Lights**	LED
Tires	ST215/75R15	**Width**	102in / 8ft 6in
Side Wall Height	32in / 2ft 8in	**Gate**	3 WAY GATE
Floor	10 GAUGE	**Hydraulics**	KTI

Frame	I-BEAM		

https://www.bridgetrailers.com//unit/2027-diamond-c-trailers-lpt208l14x81-81-x-14-18k-pacesetter-pkg-telescopic-dump-trailer-1303851

Price: $20,999.00

Description

The Diamond C LPT is a heavy-duty, low-profile telescopic dump trailer built for commercial construction, equipment hauling, and extreme job-site loads.

Key Features & Specs

• Lifting Mechanism: Uses a heavy-duty multi-stage telescopic cylinder (instead of a traditional scissor hoist) mounted forward to provide maximum dumping leverage and smooth, reliable lifting power.

• Frame & Build: Built on a strong I-beam frame featuring Engineered Beam Technology on higher GVWR packages, plus a central-seam overlapped floor design to prevent moisture buildup and corrosion.

• Capacity & GVWR: Gross Vehicle Weight Ratings (GVWR) range generally from 15,500 lbs up to 24,000 lbs (with popular 14K–15K configurations offering payloads around 9,900–10,000 lbs).

• Available Sizes: Commonly offered in lengths like 12', 14', and 16' with an 82" bed width.

• Notable Options: Available with the Pace Setter Edition (adding features like board brackets, 3/16" diamond plate fenders, drop-leg stabilizers, and solar charging), 3-way rear gates, slide-in ramps, and the ShurLink electric tarp or hydraulic jack systems.

FEATURES

- Model - LPT
- Package Options - Pacesetter Edition
- GVWR - 208 Package (18K GVWR)
- Length/Width - 14' x 81" - 208 pkg
- Axles - 2 - 8,000 lb Oil-Bath
- Brakes - Electric Drum with ABS
- Suspension - Slipper Roller
- Pull Type - Bumper Pull
- Dump Main Frame - Engineered Beam Frame
- Dump Body Frame - 5" x 2" x 3/16" Rectangle Tube
- Body Thickness - 10 ga Body, Sides Integral with Floor
- Sides - 32" Tall Sides (10 ga)
- Side Extensions - Upgraded Board Brackets w/ Raised Front PACESETTER FEATURE

- Hoist - 5 Stage Telescopic Cylinder
- Ramps - 78" Rear Slide-In Ramps (3" I-Beam)
- Ramps - Rear Stabilizer Drop Legs PACESETTER FEATURE
- Gate - 3-Way Gate (with Hold Back System)
- Paint Type - DM Difference Maker Coating System
- Paint Color - Onyx Black
- Fenders - Upgraded 3/16" Diamond Plate Fender, Heavy Duty PACESETTER FEATURE
- Cross-Members - 3" I-Beam on 16" Centers
- Coupler - 2-5/16" - 21,000 lb Demco EZ-Latch, Flat-Mount
- Jack - 20,000 lb Hydraulic Jack (PSE) PACESETTER FEATURE
- Storage - HD V-Tongue Lid
- Hydraulic Power - Power Up, Gravity Down (with High Flow KTI Pump)
- Tarp - Long Arm, Easy Roll Tarp System
- Bed Control - Corded Remote, 14'
- Bed Control - Shurco Wireless Remote PACESETTER FEATURE
- Battery/Charger - Group 27 Series Battery w/110V 5amp Charger
- Battery/Charger - SOLARPULSE Solar Panel Charging System (PSE) PACESETTER FEATURE
- Steps - 24" Side Step
- Lights - All LED Lights
- Stake Pockets - Stake Pockets on each Upright
- Tie Downs - 4 - 5/8" D-Rings
- Wiring - Sealed Wiring Harness
- Tire Size - 215/75R17.5 18 Ply Radial
- Wheel Color - Black
- Spare Mount - Spare Mount
- Spare Tire - Add Matching Spare Tire

Advertised prices are cash or check ONLY | A 3% fee will be applied to credit or debit cards

---