Prairie Wind - Humboldt

Phone: +16053634000
1400 W 2nd Ave
Humboldt, South Dakota
Email: sales@prairiewindtrailers.com



2027 H&H Trailers 24' Cargo H10124FTCHV-140 Cargo / Enclosed Trailer

Type	Trailer or Truck Bed	**Category**	Cargo / Enclosed Trailer
Stock#	629362	**Location**	Prairie Wind - Humboldt
Year	2027	**Status**	Available
Condition	New	**Manufacturer**	H&H Trailers
Model	24' Cargo H10124FTCHV-140	**Floor Length**	288in / 24ft
Floor Width	101in / 8ft 5in	**GVWR**	14000
Payload Capacity	9760		
Color	Charcoal	**Pull Type**	Bumper
Axles	2	**Construction**	Steel Frame / Aluminum Skin
Nose Type	V Front		

https://prairiewindtrailers.com/unit/2027-h-h-trailers-24-cargo-h10124ftchv-140-cargo-enclosed-trailer-1315429

Price: $14,900.00

Description

2027 H&H Trailers 24' Cargo H10124FTCHV-140 Cargo / Enclosed Trailer - 7000 LB Axles, PosiVents, Side Door Bar Latch, 76" Tall Door Opening, Black Trim, Rear Spoiler, Aluminum Rims, Light Roof Lid
GVWR 14000 lbs
GAWR (lbs/axle) 7000 lbs/axle
Curb Weight 4240 lbs
Payload 9760 lbs
Width 8.5"
Length 24'
Overall Length 349"
Deck Length 315"
Deck Width 98.5"
Deck Height 23"
Length Interior Box 315"
Height Overall 99"
Interior Height 73.5
Height Deck 23"
Width Interior 98.5"
Width Between Fender 82"
Width Rear Opening 95"
Type ENCLOSED
Axle (2) 7000 lb. Drop Spring Brake
Connector Plug Round 7-pin Blade
Coupler 2-5/16" Adjustable
Crossmembers Steel Formed Channel, 16" On-Center
Dovetail 4' Interior
Exterior Fastening VHB Bonded (Screwless)
Exterior Finish .030" Aluminum
Exterior Lights Full LED, DOT Compliant
Fenders Teardrop Smooth Aluminum
Flooring 3/4" Engineered Wood
Frame 6" x 2" Steel Tube
Front Profile V-Nose
Hubs Easy Lube
Interior Lights (2) LED Dome Lights, Wall Mount
Interior Trim Aluminum H-Channel Wall Transitions
Interior Walls Engineered Wood
Protective Coating(s) Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel
Ramp(s) 400 Series with Assist
Roof Flat Top .024 Aluminum Sheeted
Roof Bows Galvanized Steel Tube, 16" On-Center
Safety Chains DOT Compliant
Side Door 36" Wide Flush Lock, Aluminum Holdback
Stone Guard 24" ATP
Tie Downs (4) Floor Mounted, Non-swivel Recessed D-Rings
Tires ST235/80R16E 10-PLY
Tongue 6" x 2" Steel Triple Tube
Tongue Jack 7K Drop Leg, Set-Back

Wall Posts Steel Tube, 16" On-Center
Warranty Limited 3-Year Warranty
Wheels 16", 8-Lug Steel
Wiring Enclosed in Conduit