KM Trailers

Phone: +13524929099
302 E Warm Springs Ave
Coleman, Florida
Email: info@kmtsales.com



2027 Seed Cargo 7x16 T/A Cargo / Enclosed Trailer

Type	Trailer or Truck Bed	**Category**	Cargo / Enclosed Trailer
Stock#	C203	**Location**	KM Trailers
Year	2027	**Status**	Special Order
Condition	New	**Manufacturer**	Seed Cargo
Model	7x16 T/A		
Pull Type	Bumper	**Axles**	2
Warranty	5 YEAR WARRANTY	**Construction**	Steel Frame / Aluminum Skin
Nose Type	V Front	**Roof Type**	SIDE VENT OR ROOFVENT

https://kmtsales.com/unit/2027-seed-cargo-7x16-t-a-cargo-enclosed-trailer-1320118

Price: $5,782.00

Description

****KM Trailers LLC offers special-order enclosed trailers customized to meet your needs and preferences. Specifications and designs may vary by customer. Pricing varies based on selected

customizations and options. Contact us for a quote!
The Seed Cargo 7x16 Tandem Axle Enclosed Trailer with an aluminum diamond plate stone guard is a 7,000 lb GVWR V-nose cargo hauler built on a tubular steel frame. It comes standard with a 24-inch Aluminum Tread Plate (ATP) stone guard across the front nose to protect against road debris, paired with a semi-screwless .080 PolyCore exterior.

- Floor Dimensions. The main interior deck measures 16 feet long by 7 feet wide (approximately 81 inches interior width)
- itemInterior Height. Standard models come with a 6'3" interior height
- itemGVWR & Payload. Rated at a 7,000 lb GVWR with an empty weight around 1,826 to 2,300 lbs, leaving roughly 4,700 to 5,174 lbs of net payload capacity
- item• Tandem Axles. Equipped with dual 3,500 lb leaf spring axles with EZ-Lube hubs.

• Wheels & Tires. Fitted with ST205/75R15 radial trailer tires on 15-inch wheels.
• Hitch Setup. Features a 2-5/16" coupler on an A-frame tongue

- item• Diamond Plate Stone Guard. Outfitted with a 24-inch (2-foot) Aluminum Tread Plate (ATP) diamond-plate stone guard across the aerodynamic V-nose front.

• Siding & Undercoating. Constructed with semi-screwless .080 PolyCore composite exterior panels and Z-Tech undercoating.
• Fenders & Framing. Built with aluminum fenders and 16-inch on-center tubular steel wall studs, floor cross-members, and roof bows
Rear & Side Doors. Includes a spring-assisted rear ramp door with a 16-inch transition flap and a 32-inch curbside entry door with an RV flush lock.
P- itemlywood Interior. Lined with 3/4-inch high-grade plywood flooring and 3/8-inch plywood interior walls.

- item
- itemCeiling & Vents. Finished with a Cool Seal/Thermal Ply ceiling liner, side flow-through vents, and a roof vent
- itemLighting. Wired with full exterior LED lights.

text***Trailer Descriptions & Specifications: Trailer descriptions, features, and specifications may vary by model and are subject to change without notice. Customizations, upgrades, and specifications may vary based on customer needs and preferences. Pricing may vary depending on selected options and upgrades.

Features

- Doors, Windows & Ramps
  - Rear Ramp Door
  - Roof Vents
  - Side Door
- Jack & Coupler Features
  - Manual Jack
  - 2 5/16” Coupler
- Safety Convenience & Electrical
  - 7Way Plug
  - DOT Approved Lighting
  - LED Lighting

- Wheels & Suspension Features
    - Break away Switch