# R&P Carriages

Phone: +18153573292
270 East Jackson St
Seneca, Illinois
Email: ken@needatrailer.com

---

Trailer Image

## 2027 MEB 7x20 Open Wood Deck Car / Racing Trailer

| | | | |
|---|---|---|---|
| **Type** | Trailer or Truck Bed | **Category** | Car / Racing Trailer |
| **Stock#** | 72965 | **Location** | R&P Carriages |
| **Year** | 2027 | **Status** | Available |
| **Condition** | New | **Manufacturer** | MEB |
| **Model** | 7x20 Open Wood Deck Auto Hauler | **Floor Length** | 240in / 20ft |
| **Floor Width** | 83in / 6ft 11in | **Floor Height** | 18in / 1ft 6in |
| **GVWR** | 7000 | **Weight** | 2000 |
| **Payload Capacity** | 5000 | **Axle Capacity** | 3500 |
| **Color** | Black | **Width Total** | 102 |
| **Fenders** | Heavy-duty tread plate fenders. | **Wheels** | 15-inch 5-lug Aluminum wheels |
| **Coupler** | 2" ball coupler. | **Jack** | 2,000 lb coupler-mounted jack |
| **Pull Type** | Bumper | **Axles** | 2 |
| **Suspension Type** | Leaf Spring Suspension | **Brakes** | Electric brakes on the rear axle. |
| **Lights** | D.O.T. compliant LED lights. | **Gate** | no |
| **Floor** | 2 x 8 treated pine | **Beavertail** | 24-inch beaver tail |
| **Frame** | Steel channel frame | **Construction** | Steel |
| **Tires** | 205/75/15 LRD | **Height** | 18in / 1ft 6in |
| **Width** | 102in / 8ft 6in | **Length** | 283in / 23ft 7in |

https://www.randpcarriages.com/unit/2027-meb-7x20-open-wood-deck-car-racing-trailer-1324652

**Price: $4,150.00**

---

**Description**

# 2027 MEB 7x20 Open Wood Deck Auto Hauler Car / Racing Trailer

**83" Wide | 20' Total Deck | Tandem 3,500 lb Axles | 5,000 lb Payload | 7,000 lb GVWR**
This MEB 7K car hauler is a tandem-axle flatbed trailer built for general hauling, vehicles, equipment, building materials, and utility work. It includes a treated wood deck, steel tread plate fenders, rear axle brakes, safety chains, tongue jack, DOT lighting, and a sealed Nova-Lite wiring harness.
This 83" x 20' MEB car hauler is designed for a practical mix of vehicle hauling, equipment transport, construction use, and general utility work. The 18' flat deck, 2' dovetail, treated wood flooring, slide-out ramps, and 5,000 lb payload rating make it a versatile option for everyday hauling needs.

## Key Specifications

- **Trailer Type:** Car / Racing Trailer
- **Brakes:** Brake on rear tandem axle
- **Coupler:** Heavy-duty Atwood 2" ball coupler
- **Axles:** Tandem 3,500 lb capacity axles, each
- **Plug:** 7-way standard plug
- **Electrical Plug:** 7-round
- **GVWR:** 7,000 lbs
- **Payload Capacity:** 5,000 lbs
- **Trailer Weight:** 2,000 lbs

## Deck, Frame & Construction

- 82" deck width
- treated wood deck
- **Main Frame:** Heavy-duty 3" x 5" channel main frame
- **Tongue:** Heavy-duty full wrap tongue
- **Wheels:**205/75/15 LRD on Aluminum Wheels
    - **Fenders:** Double-break steel tread plate fenders
- **Deck:** 2" thick treated wood deck
- **Front Rail:** Safety bump rail across front

# Dimensions & Weight Ratings

- **Overall Deck Size:** 83" wide, almost 7 feet between the fenders, 20 feet long - 18' deck + 2' dovetail
- **Overall Length:** 283" / 23.5'
- **Overall Width:** 102" / 8.5'
- **Deck Length:** 240" / 20'
- **Deck Width:** 83" / 6' 11"
- **Deck Height:** 19" / 1' 7"
- **Coupler Height:** 16" / 1' 4"
- **Coupler Size:** 2"
- **Ramp Measurement:** 13" W x 4' H

## Loading & Fitment

Confirm the actual cargo dimensions, loaded weight, loading-equipment ratings and securement requirements against the trailer's documented specifications before hauling. Verify that the tow vehicle, hitch and electrical connection are compatible.

## Questions About This Trailer?

Contact R&P Carriages for additional information about this unit, its documented equipment and current availability.
**R&P Carriages | Seneca, Illinois | 815-357-3292**

---