Diligent Trailers

Phone: +16203426456
1521 Rd 175
Emporia, Kansas
Email: anthony@diligenttrailers.com



Bobcat CT5550 Tractor

Type	Equipment	**Category**	Tractor
Stock#	M1620-1412	**Location**	Diligent Trailers
Year	2023	**Status**	Sold
Condition	New	**Manufacturer**	Other
Model	CT5550		
Msrp	55423		

https://www.diligenttrailers.com/unit/bobcat-ct5550-tractor-509394

Price: $51,105.00

MSRP: $55,423.00

Description

Bobcat CT5550 eHST Tractor w/FL9-5 Front End Loader

OVERVIEW

The Bobcat CT5550 delivers high performance, outstanding comfort and fast, easy implement changes, topped by a premium factory-installed enclosed cab loaded with comfort features. Power through your day with this compact tractor that comes fully equipped standard with rear PTO and PTO cruise, four-wheel drive, and power and tilt steering.

This 50-hp, turbo-charged tractor offers more horsepower for heavy-duty implement and attachment work, and a Category 1 three-point hitch offers the adaptability to use a full range of implements.
Pair the electronic linked pedal option with the tractor's electronic hydrostatic transmission for easy direction changes and ultimate speed control
Grade roads, clear overgrown brush, mow large acreages, till for planting, clear snow and tackle tough digging with the power and versatility of the CT5550.

SPECS

Horsepower 50 hp
Lift Capacity at 24" behind Lift Point 3,177 lb
PTO HP 38.9 hp
Transmission Type Infinite, 3 Range Hydrostatic (Servo control valve with Electric sol.)
Width 75 in
Turning Radius 9' 9"
Wheelbase 6' 3"

ENGINE

Emissions Tier (EPA) Tier 4
Horsepower 50 hp
Displacement 111 inÂ³
Number of Cylinders 3
Gross HP 50 hp
Engine Model 3FT-TH4-U

PERFORMANCE

Operating Weight 4,685 lb
Travel Speed 17.5 mph
Travel Speed - Reverse 17.5 mph
3-Point Hitch Category 1
3-pt Lift Control Type Position with Draft Control
Lift Capacity at 24" behind Lift Point 3,177 lb
Rear PTO System Independent
Rear PTO - RPM 540
PTO HP 38.9 hp
Mid PTO - RPM 2103

Front End Loader

Model FL9-5
Max Lift Height to Pivot Pin 108.6in
Max Lift Height Under Level Bucket 100.6in
Clearance With Bucket Dumped 80.6in
Reach at Max Lift Height 7.5in
Max Dump Angle 59 degrees
Reach With Bucket On Ground 70.2in
Max Rollback Angle 37 degrees
Digging Depth 6.4in
Lift Capacity at Pivot Point (max height) 2346lb
Breakout Force at Pivot Point 4524lb

Weight 1400lb
Bucket Width 72.0in

BOBCAT ONE TOUGH ANIMAL