

Smouse Trailers

Phone: +17248877777
207 SMOUSE ROAD
Mount Pleasant, Pennsylvania
Email: Samarri1@gmail.com



2026 SaltDogg 1400801SS Spreaders

Type	Equipment	Category	Spreaders
Stock#	1400801SS	VIN	1400801ss00000000
Location	Smouse Trailers	Year	2026
Status	Available	Condition	New
Manufacturer	SaltDogg	Model	1400801SS
Weight	718		

<https://smouse.com/unit/2026-saltdogg-1400801ss-spreaders-513614>

Price: \$6,004.00

Description

NEW 2026 Saltdogg 1.75 Cu Yd (1400801SS) 7' Stainless ELECTRIC Hopper Spreader w/ Adjustable Chute & Conveyor Chain

Model: 1400801SS

PROFESSIONAL INSTALLATION AVAILABLE FOR \$500

- Fits extended-bed 1 ton+ trucks with above 10,000 lb GVW (gross vehicle weight).
- 96 in. stainless steel hopper.

- Conveyor and spinner powered by independent electric motors.
- Spreads bulk salt or a 50/50 salt/sand mix.
- In-cab controls with independent variable speeds for the conveyor and spinner.
- 14 in. poly spinner broadcasts up to 30 ft
- 12 in. chain conveyor drive.
- Chute is adjustable up to 11-1/2 in.
- High quality 304 stainless steel construction for optimum corrosion resistance.
- Stainless steel inverted V improves flow and reduces stress on the drive line.
- Top screen and tie downs included.
- Made in the USA.

Buyers Products SaltDogg Electric Stainless Hopper Spreader is ready for commercial use. The 8 ft spreader can fit in the back of an extended-bed 1 ton truck and will work with bulk salt or a 50/50 salt/sand mix. Its electric-powered design means quieter operation with no need for refueling or engine servicing.

The hopper and fully-welded frame are made from long lasting, corrosion resistant 304 stainless steel. A 12 in. wide, all steel pintle chain conveyor provides high speed material flow with its independent 3/4 HP, 12V gear motor.

A lever-operated feedgate offers additional material flow control. A six-fin, 14 in. poly spinner powered by an independent 1/2 HP, 12V motor can cast material 5-30 ft. The stainless steel chute can be extended an extra 11-1/2 in. if needed.

The spreader is operated by an intuitive heavy duty in-cab controller with independent spinner and conveyor speeds. The spreader also comes outfitted with a top screen, stainless steel inverted V, and tie down kit.

Product Common Use: Parking Lots, Driveways, Commercial Property Maintenance, Residential Upkeep

- Capacity 1.70 yd
- Chute Primary Material 304 Stainless Steel
- ChuteStandardAdjustableExtended Adjustable Height
- Controller Type High Current Variable Speed
- Drive Motor Horse Power 0.75 HP
- Feed Mechanism Conveyor Chain
- Feed Mechanism 12 in. Pintle Chain Conveyor
- Gearbox Ratio 20:1
- Hopper Material 304 Stainless Steel
- Number Of Motors 2
- Overall Length 99.30 "
- Overall Width (At Top) 47.00 "
- Spinner Diameter 14.00 "
- Spinner Material Polyurethane
- Spinner Motor Horse Power 0.50 HP
- Spreading Width Range 5 To 30 '
- System Voltage 12 vdc
- Top Screen Yes
- Vibrator Included? No
- Works With Bagged #1 Rock Salt Yes
- Works With Bulk Salt Yes
- Works With Bulk Sand Yes

- Works With Salt / Sand Mix Yes
- Drive Type Electric
- Hopper Length 84.00 "
- Hopper Width 47.00 "
- Overall Height 32.00 "
- Shipping Weight 718.410

**FINANCING AVAILABLE FOR THOSE WHO QUALIFY
FULL SERVICE CENTER TO INCLUDE INSPECTION, REPAIRS & MODIFICATIONS**

**** WE STOCK TRAILER, PLOW & SPREADER PARTS ****

WE ACCEPT CASH-CHECK, VISA & MASTERCARD

*Price, if shown, does not include government & PENNDOT fees, taxes, dealer document preparation charges or any finance charges (if applicable). FOB Mt Pleasant, Pa Final actual sales price will vary depending on options or accessories selected. NOTE: Models with a price of "Request a Quote" are always included in a \$0 search, regardless of actual value
