# Texas Trailers Florida

Phone: +13523784756
5601 NW 13th St
Gainesville, Florida
Email: admin@texastrailersfl.com

---



## MTT920 Thunder Creek Equipment Fuel Trailer

| | | | |
|---|---|---|---|
| **Type** | Trailer or Truck Bed | **Category** | Fuel Trailer |
| **Stock#** | MTT920 | **Location** | Texas Trailers Florida |
| **Year** | 2025 | **Status** | Available |
| **Condition** | New | **Manufacturer** | Thunder Creek Equipment |
| **Model** | MTT920 | **Floor Length** | 216in / 18ft |
| **Floor Width** | 84in / 7ft | **GVWR** | 14000 |
| **Weight** | 5950 | **Payload Capacity** | 8050 |
| **Axle Capacity** | 7000 | | |
| **Color** | Gray | **Width Total** | 84 |
| **Axles** | 2 | **Clearance Price** | 38090 |
| **Construction** | Steel | **Height** | 72in / 6ft |

https://www.texastrailersfl.com/unit/mtt920-thunder-creek-equipment-fuel-trailer-516931

**Price: $38,090.00**

**Sales Price:** $38,090.00

---

**Description**

MTT920
This No HAZMAT Fuel and Service series model offers 920 gallons of diesel capacity with options for DEF, grease, auxiliary oil, as well as power systems.
Trailer Features

- 7.5” x 1/4” Formed Frame
- Dexter® Torsion Axles and EZ Lube Hubs
- Electric Brakes with Breakaway Safety System
- 16” 10-Ply Tires with Steel Wheels
- 7,000 lb. Enclosed Jack and Safety Tow Chains
- Adjustable Height 2 5/16” Ball Hitch
- Reflective Tape and LED Lights
- Wiring Wrapped in Protective Braid
- Dual Coat Grey Polyurethane Paint
- Diamond Plate Rock Guard on Fenders and Frame
- Replaceable Bolt-on Fenders
- 3 Year Frame Warranty

Tank Features

- 115 Gallons per Tank, up to 8 Tanks
- 7 Gauge Steel Tank with Sloped Bottoms
- 3 Year Tank Warranty
- Spinsecure (TM) Locking, Vented Fuel Caps
- Sight Fuel Level Gauge

Front Enclosure

- Lockable Hatch-Style, Weather-Sealed Doors
- Automatic Interior LED Lighting
- Fire Extinguisher

SIGNATURE PACKAGE
40 GPM Gas Powered Pump
Upgrade the standard 25 GPM electric pump with this industrial grade electric start gas pump. This system delivers fuel at a rate of 40 gallons per minute out the nozzle, drastically reducing refueling time.
14-Ply Tires
ST235/85R16, Load Range G
Aluminum Wheels
Upgrade the standard steel wheels to aluminum. Available with 8-bolt hubs.
DEF Delivery System
Field Installable
This ISO 22241 Compliant system includes a 100 gallon specialized poly tank, bidirectional pump and 35' auto-retracting hose reel. The 2-in-1 DEF Pumping System fills and dispenses DEF in a closed path to ensure fluid purity is maintained to protect Tier 4 machinery. Recent enhancements to the DEF system include higher pump flows, freeze protection and auto shut-off.
DEF System Options:

- Digital DEF Meter
- 50' DEF Hose Reel
- 120V DEF Heater

Electric Valve Manifold
Automatically shuts the manifold valves when the front enclosure doors are closed. This isolates each 115-gallon tank to ensure compliance with HAZMAT regulations without operator intervention.

---