R&P Carriages

Phone: +18153573292
270 East Jackson St
Seneca, Illinois
Email: ken@needatrailer.com



2018 Sure-Trac 7x18+4 Equipment Trailer 14K

Type	Trailer or Truck Bed	**Category**	Equipment Trailer
Stock#	15747	**Location**	R&P Carriages
Year	2018	**Status**	Available
Condition	Used	**Manufacturer**	Sure-Trac
Model	7x18+4 Equipment Trailer 14K	**Floor Length**	221in / 18ft 5in
Floor Width	82in / 6ft 10in	**Floor Height**	20in / 1ft 8in
GVWR	14000	**Weight**	3730
Payload Capacity	10270	**Axle Capacity**	7000
Color	Black	**Fenders**	Double brake steel tread plate fenders
Wheels	16-inch 8-lug steel rims	**Coupler**	adjustable pintle coupler
Jack	12K drop leg jack	**Pull Type**	Bumper
Axles	2	**Suspension Type**	Leaf Spring Suspension
Construction	Steel	**Brakes**	Electric brakes on all wheels.
Tires	235/80R16	**Length**	333in / 27ft 9in

Lights	DOT-compliant LED lights	**Width**	102in / 8ft 6in
Gate	no	**Floor**	2x8 treated pine deck
Hydraulics	Hydraulic damper cylinder	**Beavertail**	no
Frame	Steel frame		

https://www.randpcarriages.com/unit/2018-sure-trac-7x18-4-equipment-trailer-14k-590026

Price: $3,995.00

Description

OVERVIEW

The Sure-Trac 18' + 4' Tilt Bed Equipment Trailer is built to handle your most demanding work load. Featuring a gravity tilting deck, an operator can safely load heavy equipment without having to lift and move heavy ramps. The tilting bed is cushioned as it gently comes to rest using a hydraulic dampening cylinder, while the tapered entry gives you full access for loading equipment. Loaded with standard features, including an adjustable coupler, heavy-duty setback jack, and heavy-duty slipper spring suspension, this trailer is fit for duty. This is a used trailer with lots of life left in it. Everything works as it should.
Features Include:
(4) 5K D-Ring Tie-Downs
Rubber Mounted LED Sealed Lights
2 x 6 Pressure Treated Decking
Powder Coat Finish
C-Channel Full Wrap Tongue
Drop Axles
HD Reinforced Diamond Plate Fenders
EZ Lube Hubs
Stake Pockets and Rub Rail
Coupler Mounted Jack
Bead Blasted, Iron Phosphate Wash Steel Prep
Cushion Cylinder
HD Diamond Plate Knife Edge Tail
Tapered Entry for Wider Loading
Nested Frame
11.5 Degree Tilt Angle
Safety Chain Holders
Spare Tire Mount
Sealed Brake Connection
EverLink - High Performance Wiring Harness
Additional Options:
large toolbox on the tongue
Spare Tire
Specs:

overall length 333" / 27' 9" +48" stationary deck
overall width 102" / 8' 6"
bed width 82"/ 6' 10"
bed length 221" / 18' 5" + 48" Stationary Deck
deck height 20" / 1' 8"
coupler height - adjustable coupler
coupler size adjustable 2-5/16"
electric plug 7 round
