R&P Carriages

Phone: +18153573292
270 East Jackson St
Seneca, Illinois
Email: ken@needatrailer.com



2026 Timpte 18 + 6 Aluminum Tilt Equipment Trailer 14K GVWR

Type	Trailer or Truck Bed	**Category**	Equipment Trailer
Stock#	03417	**Location**	R&P Carriages
Year	2026	**Status**	Available
Condition	New	**Manufacturer**	Timpte
Model	Timpte 1424 Aluminum Tilt Equipment Trailer 14K GVWR	**Floor Length**	288in / 24ft
Floor Width	83in / 6ft 11in	**Floor Height**	20in / 1ft 8in
GVWR	14000	**Weight**	2620
Payload Capacity	11380	**Axle Capacity**	7000
Color	Aluminum	**Wheels**	16-inch 8-lug aluminum rims
Coupler	2 5/16 adjustable coupler	**Jack**	12K drop-leg jack
Pull Type	Bumper	**Axles**	2
Suspension Type	Torsion Suspension	**Clearance Price**	15200
Construction	Aluminum	**Brakes**	Electric brakes on all wheels.

Tires	235/80R16 Load Range E	**Length**	342in / 28ft 6in
Width	102in / 8ft 6in	**Lights**	DOT-compliant LED lights
Floor	Aluminum floor	**Hydraulics**	Hydraulic damper cylinder
Frame	Aluminum frame		

https://www.randpcarriages.com/unit/2026-timpte-18-6-aluminum-tilt-equipment-trailer-14k-gvwr-590098

Price: $15,200.00

Sales Price: $15,200.00

Description

Timpte’s Powerhouse Series is a testament to unrivaled strength, reliability, and hauling capability in the world of heavy-duty transport. Built for the toughest tasks, these trailers are purpose-engineered to move trucks and heavy construction equipment with precision and efficiency. Featuring increased payload capacity, the Powerhouse Series allows you to haul more while maintaining exceptional performance. Thanks to Timpte’s proprietary aluminum extrusion and advanced construction techniques, these trailers set a new industry standard for durability and strength. Elevate your heavy-duty transport game with the unmatched quality and capacity of a Timpte Powerhouse Series trailer.
2026 Timpte 18 + 6 Aluminum Tilt Equipment Trailer 14K GVWR
Standard Features:
Load Angle: 12 degrees
Dry Weight: 2,620 lbs
Load Angle: 12-degree approach angle
Build Design: Riveted and bolted construction with no welds to break
Skid steers
Mini excavators
Compact tractors
Landscaping equipment
Construction equipment
Utility equipment
Capacity: 11,380 lbs
Dimensions & Weight Ratings
Deck Size: 83" wide x 20' long
Usable Deck Width: 82"
Deck Width: 82" usable deck width
Coupler Size: 2-5/16" Easy-Latch
Loading & Fitment
Confirm the actual cargo dimensions, loaded weight, loading-equipment ratings and securement requirements against the trailer's documented specifications before hauling. Verify that the tow vehicle, hitch and electrical connection are compatible

Questions About This Trailer?
Contact R&P Carriages for additional information about this unit, its documented equipment and current availability
R&P Carriages | Seneca, Illinois | 815-357-3292
Specifications:
Manufacturer: Timpte
Model / configuration: Timpte 1424 Aluminum Tilt Equipment Trailer 14K GVWR
Model year: 2026
Trailer type: Equipment Trailer
Construction: Aluminum
GVWR: 14,000 lb
Unladen weight:
Payload capacity: 11,380 #
Axle capacity: 7,000 lb
Axle count: 2
Floor length: 342" / 28' 6"
Overall Length: 342" / 28' 6"
Overall Width: 102" / 8' 6"
Floor width: 8288/ 6' 4'
Floor height: 20" / 1' 8"
Overall length: