Jason Dietsch Trailer Sales

Phone: +14192980777
227 East Morrison St
Edgerton, Ohio
Email: jdietsch7@yahoo.com



Legend 8.5x22 Aluminum Trailer

Type	Trailer or Truck Bed	**Category**	Cargo / Enclosed Trailer
Stock#	011589	**VIN**	5WMBE2221S1011589
Location	Jason Dietsch Trailer Sales	**Year**	2025
Status	Sold	**Condition**	New
Manufacturer	Legend Trailers	**Model**	8.5X22TVTA35
Floor Length	312in / 26ft	**Floor Width**	102in / 8ft 6in
GVWR	7000	**Weight**	2300
Payload Capacity	4700		
Color	Black	**Width Total**	8.5' - 102"
Wheels	Silver Mod	**Pull Type**	Bumper
Axles	2	**Nose Type**	V Front
Construction	Aluminum		

https://jasondietschtrailersales.com/unit/legend-8-5x22-aluminum-trailer-603023

Price: $15,995.00

Description

Axles:

- TANDEM AXLE: 3500# 5-BOLT TORSION BRAKE 94.5/80 #832

Tires:

- ALUMINUM WHEELS & STAINLESS STEEL BARS
- TIRES & WHEELS: (4) RADIAL BLACK ALUMINUM 15" 5-BOLT ST225n5R15

Frame:

- FENDERS: 1" X 72" ATP FENDER FL ARES
- MAIN FRAME: 6" TUBE
- BEAVERTAIL: 48" NO-SHOW
- FLOOR CROSS MEMBERS: 16" OC FLOOR
- WALL STUDS: 16" OC WALLS
- ROOF BOWS: 16" OC ROOF

Hitch:

- SAFETY CHAIN: 1/4" X 36" (12,600 LBS)
- HITCH: 2 5/16" COUPLER
- TONGUE: STANDARD TONGUE
- TONGUE JACK: 2000# WITH JACK DROP LEG FOOT
- STABILIZER: (1 PAIR) 20" DELUXE REAR STABILIZER JACKS (BOLTED) TRAILER CONNECTOR: 7-WAY ROUND 8'

Exterior:

- SKIN THICKNESS: .030 ALUM
- EXTERIOR SCREWS: ZINC EXTERIOR SCREWS
- SINGLE COLOR: BLACK
- TRIM: SQUARE J CHANNEL
- NOSE: STANDARD STYLE NOSE
- NOSE AND CORNERS: COLOR MATCH NOSE & CORNERS
- STONE GUARD: 24" X 115" POLISHED ATP

Door:

- REAR DOOR: RAMP
- RAMP FLAP: REAR STANDARD
- SIDE DOOR: RADIUS 36X74 CURBSIDE / BLACK FRAME
- SIDE DOOR HOLD BACK: (1) 6" PLASTIC HOLD BACK
- DOOR HARDWARE: S/S RAMP DOOR HARDWARE - DLX ,PKG

Interior:

- FLOOR COVERING: 3/4" ENGINEERED WOOD
- REAR DOOR COVERING: 3/4" ENGINEERED WOOD
- INTERIOR WALLS: 3/8" WOOD W/ WHITE VINYL

- INTERIOR TRIM: ATP INTERIOR TRIM
- CEILING: BUTLER WHITE VINYL CEILING
- SPRING COVERS: NO SPRING COVER
- 5000# D-RINGS: (4) 5000# D-RINGS INSTALLED
