

St. Louis

Phone: +16369809429
404 South Cool Springs Rd
O Fallon, Missouri
Email: info@totaltrailers.com



Horizon Trailers 16' Roll Off Dump Trailer 17,920LB w/ 3Bins, Spare Tire

Type	Trailer or Truck Bed	Category	Dump Trailer
Stock#	5016	VIN	3H7GR1623RR005016
Location	St. Louis	Year	2024
Status	Sold	Condition	New
Manufacturer	Horizon Trailers	Model	RDZ-16' 17,920lb (GVWR) Roll Off Trailer w/Bins
Floor Length	192in / 16ft	GVWR	17920
Weight	4531	Payload Capacity	13389
Axle Capacity	8000		
Color	Black	Pull Type	Gooseneck
Axles	2	Suspension Type	Leaf Spring Suspension
Construction	Steel		

<https://totaltrailers.com/unit/horizon-trailers-16-roll-off-dump-trailer-17-920lb-w-3bins-spare-tire-630446>

Call for Price

Description

Horizon Trailers RDZ-16' 17,920lb (GVWR) Spare Tire, Roll Off Trailer

Trailer with (3) Bins 15 Yard Bins

SOLD AS PACKAGE ONLY

\$27,995.00

LENGTH: 16'

PAINT TYPE: Powder coat

PREP: Steel Grit Blasted

SPARE: Weld On Spare Tire Mount

STANDARD COUPLER GN: Adjustable 2-5/16" GN Coupler (30,000 lbs.)

FRONT JACKS GN: 2 Side Wind Drop Jack Legs (12,000 lbs.)

TOOLBOX: Lockable Toolbox (Houses Battery and Pump)

BREAKAWAY SYSTEM: 2382 Brightway Group Electric Breakaway Kit

SAFETY CHAINS: 3/8" Grade 70 Safety Chain w/Clevis Hook (2 each)

MAIN FRAME: 10" I-Beam (15 lbs./ft)

FRAME: 2" x 3" x 7ga. Tubing Bed Frame

CROSSMEMBERS: 2" x 3" x 7ga. Crossmembers

TYPE: 3" x 4" x 1/4" Angle Iron

FENDERS: 14ga. Diamond Plate Steel Fenders

SAFETY CHAINS FOR ROLL OFF: (2) 1/4" 30 Grade Chain w/Clevis Hook

HYDRAULICS SYSTEM: Hydraulic - Power Up / Gravity Down

PUMP: KTI 12V Hydraulic Pump

CONTROLLER: 14' Control Cable

CYLINDER: 6" x 21" Single Push Cylinder

HOIST CAPACITY: 20,000 lbs.

WINCH: 17.5k Steel Cable Warrior Winch

WINCH CONTROLLER: 12' Control Cable and **Wireless Controller**

SIZE: Radial Tires ST235/80R16 Ply14 (4,400 lbs.)

RIMS: 16" Black Mod Wheels

AXLE TYPE: 2 - **8k Lippert Electric Brake EZ Lube Spring Axles**

BATTERY: 2 - Interstate 27 Deep Cycle Batteries

CHARGING SYSTEM: 110V Integrated Trickle Charger

WIRING HARNESS: All-Weather Wiring Harness (7-Way RV)

FRAME WIRING: Double Insulated Wiring Harness

LIGHTS: DOT Approved Tecniq LED Lights

SPARE TIRE: ST235/80R16 Ply14 (4,400 lbs.)

HDZ Roll Off Dumpster 4'x16' (RED) 15 Yard

LENGTH: 16'

SIDE HEIGHT: 4'

PAINT TYPE: Powder coat

PREP: Steel Grit Blasted

MAIN FRAME: 1,1/2" x 3" x 11ga. Tubing Bed Frame

CROSSMEMBERS: 3" Channel (3.50 lbs./ft) 16" Spacing

FRONT: Greaseable Rollers / Heavy Duty D-Ring for Winch Attachment

REAR: Greaseable Rollers

OVERALL WIDTH: 60"

FLOORING: 10ga. Steel Bed
GATE: (1) Heavy Duty Rear Door
SIDES: Reinforced Steel
TOP RAIL: 3" x 4" x 11ga. Tubing
HOOKS: 3/8" Round "L" Hooks
TOP WIDTH: 89"
