Taneytown, MD

Phone: +14107562430
115 York St
Taneytown, Maryland
Email: adam@hitchman.com



6'3" x 15'9" Air-Tow E16-XL Enclosed Drop Deck Equipment Trailer 14k GVWR **w/Spare Tire Mount & 110V Batt Charger

Type	Trailer or Truck Bed	**Category**	Cargo / Enclosed Trailer
Stock#	T5811	**VIN**	7VADE2126TB005811
Location	Taneytown, MD	**Year**	2026
Status	Available	**Condition**	New
Manufacturer	Air Tow	**Model**	E16-XL Enclosed
Floor Length	189in / 15ft 9in	**Floor Width**	75in / 6ft 3in
GVWR	14995	**Weight**	4995
Payload Capacity	10000	**Axle Capacity**	7000
Color	White	**Pull Type**	Bumper
Axles	2	**Suspension Type**	Torsion Suspension
Nose Type	Flat	**Roof Type**	Flat
Construction	Steel	**Side Wall Height**	90in / 7ft 6in

https://thehitchmaninc.com/unit/6-3-x-15-9-air-tow-e16-xl-enclosed-drop-deck-equipment-trailer-14k-gvwr-w-spare-tire-mount-110v-batt-charger-633852

Price: $33,495.00

Description

******Includes Spare tire carrier and 110v Battery Charger/Maintainer Options***
Ground Level Loading with the Best Built Drop-Deck Enclosed Trailer On The Market!
The E-16 XL is the largest enclosed trailer in the Air-tow line and comes preloaded with many features. It has 15'9" of usable deck space and can carry ups to 10,000 lbs. The front-end is extended beyond the regular deck that allows for a 15" shelf and an extra 36 cubic ft. to work with. The aerodynamic design of the front-end not only adds space, but reduces air resistance and increases gas mileage. The back-end is also extended 16" to round out the total storage space at 838 cubic ft. Other standard features that set the E-16 XL apart from the regular E-16 include: a self-locking rollup door, 2 LED interior lights and a 3/8" plywood interior lining. This trailer is also very customizable with options for E-tracks, X-tracks, nose cone and many more accessories. Compare enclosed models below.
Standard Features: -

- 8 Heavy-Duty D-Rings
- Adjustable Chain
- Adjustable Coupler
- Anti-Theft Switch
- Bright LED Lights
- Durable Powder Coat Paint
- Extra-Wide Deck
- Fenderless
- Ground-Level Loading
- Heavy-Duty Diamond Deck
- Heavy-Duty Enclosure w/ Galvanized Z-Bar Studs
- Non-Tilting Deck
- Remote Control
- Rubber or Air Suspension
- Swing-Arm Axles

Specifications:
E-16 XL
Roll-up Door Standard
GVWR14,795 lbs.
Capacity10,000 lbs.
Weight (varies w/ opt.)4,795 lbs.
Inside Deck Width6'3? (75?)(Door Opening 71?)
Deck MaterialDiamond Steel Plate
Inside Deck Length15'9?
Door Opening90? H X 71? W Roll Up
Shelf Storage Space15?
Overall Width102?
AxlesTandem
Wheels/Tires16? -- 12 Ply
Brakes (electric-std.)Electric
Suspension (rubber/air)Rubber
Lift MechanismHydraulic
Coupler2 5/16? Ball

ColorRoyal Blue