# Northwest Arkansas Trailers

Phone: +14799664388
4636 N College Ave
Fayetteville, Arkansas
Email: nwatrailers@gmail.com

---




## 2026 Top Hat Trailers 7x16 DPX 140 w/ 7 Gauge Floor Dump Trailer

| | | | |
|---|---|---|---|
| **Type** | Trailer or Truck Bed | **Category** | Dump Trailer |
| **Stock#** | Top_Hat_DPX_140-16_x_83_Grey | **Location** | Northwest Arkansas Trailers |
| **Year** | 2026 | **Status** | Available |
| **Condition** | New | **Manufacturer** | Top Hat Trailers |
| **Model** | 7x16 DPX 140 w/ 7 Gauge Floor | **Floor Length** | 192in / 16ft |
| **Floor Width** | 84in / 7ft | **GVWR** | 14000 |
| **Axle Capacity** | 7000 | | |
| **Pull Type** | Bumper | **Axles** | 2 |
| **Construction** | Steel | | |

https://www.nwatrailers.com/unit/2026-top-hat-trailers-7x16-dpx-140-w-7-gauge-floor-dump-trailer-662641

## Call for Price

---

### Description

### Standard Equipment

Coupler: 2 5/16" Forged Adjustable 5/Position
Jack: Dual 12000# Drop Leg
Fenders: Heavy Duty Diamond Plate Straight
Floor: 7 GA Sheet Metal
Width: 83" Inside Box
Brake: Electric All Wheel
Break Away Unit w/Charger
DOT Reflective Tape
Primed & Painted
Doors: 2- Way Double Action (Barn Door & Spreader Gate)
Ramp Pockets w/7' Ramps
5/8" D-Rings in Box (4)
Spare Rack
Sealed Flush Mount LED Lights
Wiring Harness
Lockable Battery/Pump Box
Deep Cycle 12V Marine Battery w/110V-5 Amp Charger
Factory Installed Tarp Kit
**

### Frame Structure

Frame & Tongue: 8" I-Beam Intergrated
Sides: 24" Tall 7 GA Metal w/Toprail
Toprail: Rigid 3x2 Rectangular Tubing
Uprights: 24" OC
Dump Body Frame: 8" Channel
Crossmembers: 3" Channel 16" OC
Tarp Bracket & Tie Downs
**

### Dump Components

Hoist: Scissor Lift
Power Up/Power Down
Control: Pistol Grip w/10' Cord
Safety Prop
Caulked Seams on Dump Body
**

### Options

DPX 140 Options
14PLY Tire upgrade
**17,500 GVWR Upgrade **

- DEXTER 8K Oil Bath axles w/ Valcrum Aluminum Oil Caps
- 17.5 16PLY tires
- Big Hoist upgrade

6000# Axles w/12000# GVWR
Deduct 7' Ramps
3' High Side on 12', 14', 16'
4' High Side on 12', 14', 16'
Gas Engine Powered Pump in Lieu of Electric Pump
Spare ST235/80R/16 LRE on 8-Hole
Hydraulic Jack

---