R&P Carriages

Phone: +18153573292
270 East Jackson St
Seneca, Illinois
Email: ken@needatrailer.com



2026 MEB 7x22 10K Car Hauler

Type	Trailer or Truck Bed	**Category**	Car Hauler
Stock#	72152	**Location**	R&P Carriages
Year	2026	**Status**	Available
Condition	New	**Manufacturer**	MEB
Model	MEB 7x22 10K Car Trailer	**Floor Length**	264in / 22ft
Floor Width	83in / 6ft 11in	**Floor Height**	21in / 1ft 9in
GVWR	9999	**Weight**	2380
Payload Capacity	7619	**Axle Capacity**	5200
Color	Black	**Width Total**	102
Fenders	Heavy-duty tread plate fenders.	**Wheels**	15-inch steel six-lug wheel
Coupler	2 5/16 Adjustable	**Jack**	5K top wind jack
Pull Type	Bumper	**Axles**	2
Suspension Type	Leaf Spring Suspension	**Construction**	Steel
Length	316in / 26ft 4in	**Height**	21in / 1ft 9in
Width	102in / 8ft 6in	**Brakes**	Electric brakes on all wheels.

Lights	D.O.T. Compliant LED Lights	**Tires**	225/75/15 LRE
Gate	no	**Floor**	2 x8 Treated Pine
Beavertail	24-inch beaver tail	**Frame**	Steel channel frame

https://www.randpcarriages.com/unit/2026-meb-7x22-10k-car-hauler-802962

Price: $4,750.00

Description

2026 MEB 7x22 10K Car Trailer Car Hauler

83" x 22' Deck | 20' Deck + 2' Dovetail | Tandem 5,200 lb Axles | 5' Slide-In Ramps | 7,619 lb Payload
This 2026 MEB 7' x 22' car hauler is a strong, work-ready trailer built for hauling cars, rolling equipment, project vehicles, and general transport needs. With tandem 5,200 lb axles, brakes on all wheels, a treated wood deck, 2' dovetail, heavy-duty 60" ramps with under-deck slide-in storage, treadplate fenders, and stake pockets down both sides, this trailer gives buyers a practical and dependable setup for serious hauling.
Documented equipment includes deck: 83" wide by 22' long overall deck size; frame: Heavy-duty C-channel iron main frame; tongue: Heavy-duty full wrap tongue. Review the detailed specifications below for the exact configuration of this unit.

Key Specifications

- **Trailer Type:** Car Trailer / Car Hauler
- **Axles:** Tandem 5,200 lb axles
- **Brakes:** Brakes on all wheels
- **Electrical Plug:** 7-round
- **GVWR:** 9,999 lbs
- **Payload Capacity:** 7,619 lbs
- **Trailer Weight:** 2,380 lbs

Deck, Frame & Construction

- **Deck:** 83" wide by 22' long overall deck size
- **Frame:** Heavy-duty C-channel iron main frame
- **Tongue:** Heavy-duty full wrap tongue
- **Decking:** 2" thick treated wood deck
- **Front Rail:** Safety bump rail across the front

Loading & Ramp System

- **Deck Layout:** 20' deck plus 2' dovetail
- **Deck Layout:** 20' deck with 2' dovetail for easier loading
- **Ramps:** Heavy-duty 60" x 5,000 lb ramps with under-deck slide-in storage
- **Dovetail:** Last two feet of trailer slopes down for easier loading of cars and other rolling items

Axles, Brakes & Running Gear

- **Spare Tire Carrier:** Included spare tire carrier
- **Hubs:** 6-lug hubs
- **Tires:** New 15" ST225/75R15 trailer tires on 6-lug wheels
- **Fenders:** Heavy-duty double brake treadplate fenders

Hitch, Jack & Electrical

- **Jack:** Heavy-duty 5,000 lb jack set back 12" from hitch
- **Lighting:** Full DOT lighting
- **Electrical:** 7-round plug

Tie-Downs & Cargo Control

- **Stake Pockets:** Stake pockets spaced approximately every two feet down both sides

Additional Features

- **Safety Chains:** Heavy-duty safety chains

Dimensions & Weight Ratings

- **Deck Size:** 83" x 22'
- **Overall Width:** 102" / 8.6'
- **Overall Length:** 316" / 26.4'
- **Deck Width:** 83" / 6' 11"
- **Deck Length:** 264" / 22'
- **Deck Height:** 21" / 1' 9"
- **Coupler Height:** 17" / 1' 5"
- **Coupler Size:** 2-5/16"
- **Ramp Measurements:** 13" W x 60" H

Loading & Fitment

Confirm the actual cargo dimensions, loaded weight, loading-equipment ratings and securement requirements against the trailer's documented specifications before hauling. Verify that the tow vehicle, hitch and electrical connection are compatible.

Questions About This Trailer?

Contact R&P Carriages for additional information about this unit, its documented equipment and current availability.
R&P Carriages | Seneca, Illinois | 815-357-3292