A & W Auto Truck & Trailer

Phone: +16309648897
17-411 W N Frontage Rd
Darien, Illinois
Email: awtrailer@gmail.com



6X12 TANDEM AXLE TILT TRAILER MANLIFT / SCISSOR LIFT

Type	Trailer or Truck Bed	**Category**	Tilt Trailer
Stock#	606511	**VIN**	5JWCF1221KP501497
Location	A & W Auto Truck & Trailer	**Year**	2026
Status	Available	**Condition**	New
Manufacturer	Cam Superline	**Model**	5CAM612FTT Tandem Axle
Floor Length	144in / 12ft	**Floor Width**	81in / 6ft 9in
GVWR	11960	**Weight**	2300
Payload Capacity	9660		
Color	Black	**Pull Type**	Bumper
Axles	2	**Msrp**	8599
Construction	Steel		

https://awtrailer.com/unit/6x12-tandem-axle-tilt-trailer-manlift-scissor-lift-816174

Price: $8,199.00

MSRP: $8,599.00

Description

Transporting scissor lifts, forklifts, small rollers, and other small industrial equipment requires a special trailer with a low load angle, maneuverability, and ease of operation. The CAM Superline 6x12 Tilt Trailers are designed to meet this need. The trailer is 11,000 GVWR and has a payload of 8,500 lbs. The Dual axle tilt trailer features a Channel tongue, and come standard with our heavy 4-bolt fully adjustable hitch plate offering multiple position settings to match your tow vehicle.
The 6x12 tilt deck is mounted with a pivot point strategicaly located which allows it to tilt into the loading position via gravity. A tongue mounted hydraulic cushion cylinder provides variable adjustability of the gravity powered tilt operation. A hydraulic flow control valve with adjustment knob allows the user to control the speed at which the deck is tilted. A locking heavy duty latch secures the deck for transportation.
Standard decking is inch and a half tight-grained northern hemlock which provides long lasting durability and enhanced resistance to weathering. When hauling smaller equipment with a narrow concentrated center of weight, CAM Superline strongly recommends a forklift tread package. This tread package consists of (2) 10-inch wide steel tracks spaced to the wheelbase of your equipment. These tracks are reinforced and welded to the cross members of the frame, then layered with expanded metal for increased traction and support. This tread package insures structural support of your equipment rather than relying on deck boards to accommodate the load of your equipment.
The trailer is constructed with a heavy 5-inch angle mainframe, 3-inch channel cross members, heavy duty diamond plate fenders, and includes 4 D-ring tie-downs to secure your load. CAM Superline 6x12 tilt trailers come standard with Dexter Easy-Lube Axles with electric brakes and a slipper spring suspension.
Built for quality, value, and dependability, all CAM Superline trailers come standard with LED lights, a sealed, 1-piece heat-shrunk wiring harness, and a superior 2 component finish featuring an epoxy primer and PPG polyurethane paint providing the ultimate in corrosion resistance and long-lasting durability.
Back it all up with a 3-year warranty and it's easy to see - CAM Superline is your partner for the long haul!

5CAM612FTT

GVWR: 11,960 lbs.
Empty Weight: 2,300 lbs.
Payload: 9,660 lbs.
Deck Length: 12'
Overal Width: 96"
Usable Deck Width: 75"
Deck Height: 16"
Axle Capacity: 5,080 lbs
Radial Tire Size: 225/75R15LRD
Main Frame: 6" x 4" x 5/16" Angle
Crossmembers: 3" Channel @ 4.1#
Tongue: 5" Channel @ 6.7#

STANDARD FEATURES

Dexter E-Z Lube(TM) Axles (4" Drop)
Nev-R-Adjust Brakes
Slipper Spring Suspension
Electric Brakes
Adjustable Hydraulic Cushion Cylinder
Diamond Plate Fenders
Spare Tire Mount
7K Jack

LED Lights - Rubber Mounted
Adjustable 2-5/16" Ball Coupler or Pintle
D-Ring Tie Downs - 5/8" (4)
(2) Banjo Eye Tie Downs
Pressure Treated Pine Decking
Silver Wheels
Zip Breakaway System
Sealed Wiring Harness
7-Way SAE Plug
Safety Chains
Epoxy Primer
Polyurethane Paint Finish
Colors (standard): Black, Yellow
Three Year Warranty

OPTIONS

14' Deck
Extra Deck Width (102")
12K Bolt-on Drop Leg Jack
Spare Tire & Wheel
Winch Mount
Hydraulic Surge
Oak Deck
3/16" Diamond Plate Decking
Forklift Tread Package
Goodyear Tires
Aluminum Wheels
Mud Flaps
Additional D-Ring Tie Downs - 5/8"
Galvanizing
Galvanized Wheels
Optional Colors: Red, Gray,
Orange, Blue, Green
