Bridge Trailers

Phone: +18778346606
4816 State Rte 101
Woodburn, Indiana
Email: jason@bridgetrailers.com

2026 Diamond C Trailers FMAX212L32X102HDT (32' X 102") 25.9K (Pacesetter Ed.) Hydraulic Dovetail Flatbed Trailer

Type	Trailer or Truck Bed	**Category**	Flatbed Trailer
Stock#	T1306191	**Location**	Bridge Trailers
Year	2026	**Status**	Pending Sale
Condition	New	**Manufacturer**	Diamond C Trailers
Model	FMAX212 32' x 102"	**Floor Length**	384in / 32ft
Floor Width	102in / 8ft 6in	**Floor Height**	35in / 2ft 11in
GVWR	25900	**Weight**	8270
Payload Capacity	17630	**Axle Capacity**	24000
Color	Black	**Pull Type**	Gooseneck
Axles	2	**Suspension Type**	Heavy Duty Adjustable Suspension
Construction	Steel		

https://www.bridgetrailers.com/unit/2026-diamond-c-trailers-fmax212l32x102hdt-32-x-102-25-9k-pacesetter-ed-hydraulic-dovetail-flatbed-trailer-844952

Price: $35,499.00

Description

OVERVIEW

TANDEM DUAL WHEEL GOOSENECK
Proven in the field, the FMAX212 tandem dual wheel gooseneck trailer is a powerhouse for any job. Opt for the 40' model with Air Ride Suspension to create the perfect HOT SHOT trailer. Trusted by professionals, this heavy duty gooseneck trailer is built to own any workload. The FMAX212 is also available in the Pacesetter version, which includes the option for Hydraulic Dovetail and Max Ramps loading, providing additional features and enhancements for those who demand the best in efficiency and convenience.

BUILD SHEET FEATURES

- Model - FMAX212
- **Package Options - Pacesetter Edition**
- Loading Style - 12' Hydraulic Dovetail
- Length/Width - 32' x 102" HDT
- GVWR - 25,900 lb
- Dove - 12' Fully Automatic Hydraulic Dovetail
- Axles - 2 - 12,000 lb Heavy Duty, Oil Bath
- Brakes - Upgraded 12k Electric-Over-Hydraulic Disc Brakes **PACESETTER FEATURE**
- Suspension - Upgraded Heavy Duty Adjustable Suspension **PACESETTER FEATURE**
- Pull Type - 12" Engineered Gooseneck
- Frame - 16" Engineered Beam 2.0
- Jack - Upgraded Dual 20k Hydraulic Jacks **PACESETTER FEATURE**
- Paint Type - DM Difference Maker Coating System
- **Paint Color - Onyx Black**
- Floor - 2" Treated Lumber
- **Cross-Members - 3" I-Beam on 12" Centers w/ Formed Gussets**
- **Coupler - Curt Cushion Coupler**
- Storage - Diamond Plate Neck Box w/ Gas Shock Assisted Lid
- Storage - Underslung Box 14" x 14" x 42" **PACESETTER FEATURE**
- Deck on the Neck - None
- Winch - Winch Tray
- Battery/Charger - Group 27 Series Battery w/110V 5amp Charger
- Battery/Charger - Solarpulse Solar Panel Charging System, 7watt **PACESETTER FEATURE**
- Lace Rail - 6" Channel Lace Rail
- Lights - (4) Pair of 3/4" Clearance Lights & (1) Pair of Bolt-on LED Loading Lights **PACESETTER FEATURE**
- Stake Pockets - 2" x 3/8" Rub Rail w/ Stake Pockets & Pipe Spools
- Slide Track & Ratchets - No Slide Track
- **Tie Downs - 5/8" D-Rings (Qty. 8 Total)**
- Steps - Front Retractable & Mid-Turn
- Sway Control - Standard on 30 - 44' model
- Wiring - Sealed Wiring Harness
- Tire Size - 235/80R16 14 Ply Radial, Dually
- **Wheel Color - Aluminum Outer Wheels**
- Spare Mount - Under-Frame Spare Mount
- **Spare Tire - Add Spare Tire | Black Wheel**