Jason Dietsch Trailer Sales

Phone: +14192980777
227 East Morrison St
Edgerton, Ohio
Email: jdietsch7@yahoo.com



2025 United 3 Car Stacker 34'

Type	Trailer or Truck Bed	**Category**	Stacker
Stock#	222848	**VIN**	222848
Location	Jason Dietsch Trailer Sales	**Year**	2025
Status	Available	**Condition**	Used
Manufacturer	United Trailers	**Model**	USH-8.534TA14
Floor Length	408in / 34ft	**Floor Width**	102in / 8ft 6in
Color	White	**Pull Type**	Bumper
Axles	2	**Construction**	Steel Frame / Aluminum Skin
Nose Type	Flat		

https://jasondietschtrailersales.com/unit/2025-united-3-car-stacker-34-896220

Price: $199,995.00

Description

2025 United 3 Car Stacker 34'

Axle:

- 2 EA Dual 14,000# Air Ride disc brake Axles w/ 22.5 Aluminum Wheels (Dexter air and control AXLE-324)
- 1 EA 36in. Spread between tires

Hitch:

- 1 EA 7-Way Molded Plug
- 1 EA Breakaway kit w/charger
- 2 EA Safety Chain

Frame:

- 1 EA Frame - Rear Wing Option
- 1 EA I- Beam - 8" inch I Beam Frame - double beam

Interior:

- 1 EA United Logo Stepwell, .080 smooth alum, int. rear corner covers, last 6in.of floor
- 1 PTL Box off sidewalls to reduce dust

Exterior:

- 1 PTL 4in. Bottom Molding
- 1 EA ATP Stoneguard
- 1 PAIR Bright Aluminum - Front Corners
- 1 EA Bright Aluminum - Front Wrap
- 1 PTL Conspicuity Tape
- 1 EA End Cap - front corners and rear corners
- 1 EA Rear Wing- Option
- 1 EA Recessed Top Aluminum Extrusion
- 1 LF Roof - One Piece Aluminum
- 1 EA Taped Exterior Metal

Door:

- 0 EA Door Hold Back Aluminum Heavy Duty
- 1 EA Steel Step well

Height:

- 37 - 48" height
- Final Height 11ft

Axle:

- 2 Each Axle Quantity - Tandem Axle

Axle Quantity - Tandem Axle
Cabinets:

- 1 Each Tool Cabinet (24in.) - 5 Drawer / C Tech

- Tool Cabinet (24in.) - 5 Drawer / C Tech- At end of CS base

cabinet facing rearward- See print

- 17 Foot Aluminum Base Cabinet
- Aluminum Base Cabinet - 36"H X 30"D

Across front wall with tool box centered and 4ft. 6in. down RS wall and 4ft. 11in. down CS wall, 36in. tall x 26in. deep, Color: White cabinets with mill finish counter top, **.080 Aluminum shelf as close to center as possible on RS only**, See prints (1), (3) and (4)

- 20 Foot Aluminum Overhead Cabinet -16"H X 16"D

Aluminum Overhead Cabinet -16"H X 16"D
Location: Top Hinged with (2) gas props per door- Across front wall
1in. down from platform and down RS and CS walls to the end of the base cabinets, Color: White, See prints (1), (3) and (4)

- 6 Each Gas Prop for Top Hinge Overhead Cabinet Door
- 12in/ x 40# gas prop.

Part #DREP-00133/DREP-00434/DREP-00135.
For a Standard Overhead Cabinet Door you will need 1 prop per door

- 1 Each Tool Cabinet (41in.) - 5 Drawer / C Tech
- Tool Cabinet (41in.) - 5 Drawer / C Tech- Centered on front wall-
- 1 Each Color of Cabinet: White Cabinet

Color of Cabinet: White Cabinet

- 6 Foot Shelf - .080 Aluminum Shelf (For Aluminum Cabinets)

Shelf - .080 Aluminum Shelf (For Aluminum Cabinets)- , As close to center of base cabinets on RS as possible-start at front wall and go rearward to end of base ((RS only)), See print.

- Cabinet to cover panel box- Color: White- See print
- 1 Each Misc. Cabinet*

Custom cabinet about 6ft. long x depth of base cabinet x from floor to platform. RS from base cabinet to end of platform- It will have (1) set of double engine doors at bottom, no center stile or bottom stile, with a horizontal .080 aluminum divider at 36in. AFF and (3) doors above the divider and (1) .080 aluminum shelf behind these doors' full length and depth. Color: White,

- Wheel Box Cabinet (Triple) - Aluminum

Options:

- Generator - 12KW - Onan - Diesel

Generator - 12KW - Onan - Diesel- In front tongue box- See print
Onan package 645-00003 12000 watt, 120/240 volt, 100/50 amp, 1-phase, 1-2 pole, 50A
ADD Battery Separately (NO PRICE)
INCLUDED:
(1) Generator - ONAN remote start & hourmeter- At front RS corner on 45 deg panel- See print
(1) Generator - ONAN - exhaust kit
(1) Switchover Box
(1) 12 Volt Battery & Box
(1) Carbon monoxide detector gen kit battery operated
(1) Fuel Tank - 30 gallon Diesel- See print

- Air Line - Inlet W/ 3 Couplings

Air Line - Inlet W/ 3 Couplings location: Inlet: In generator compartment on front wall 6in. above shelf -
Outlets: (1) RS Rear 7ft. AFF, (1) CS in wheel box cabinet at front of cabinet- 28in. AFF,
(1) RS Centered Above the Base Cabinet, 42in. AFF, See print

- Air Reel - Large 50ft

Air Reel - Large 50ft
RS at rear High on wall, See print

- Generator Compartment on Front (GN or Tag) - w/ Double

Doors & Camlock
** New Box Size** Generator Compartment on Front (GN or Tag)- 66in. W x 30in. D x 123in. T - with radius Corners and 48in. W x 82in. T Double RV Doors low as possible and (1) 48in. W x 21in. T top hinged door above
double doors. Expanded Metal Floor for 12k Diesel Generator and (1) Expanded metal Shelf - 40in. From Bottom of Compartment to Bottom of Shelf- Shelf is 27in. D and built on a 1in. x 1.5in. Steel Tube frame with Expanded metal- tank not included, See print (7)

- Fold up aluminum Tire rack- 2in. x 2in. x .125 tube (United

Built)
Fold up aluminum Tire rack- 2in. x 2in. x .125 tube (Backer required), Location: 92in long Fold up tire rack- On rear header above ramp door spring- (Black carpet behind tire rack)- Steel backers required full width and 12in. O.C. uprights above ramp

- Misc. Option*

California Air Tool CAT-10020SPC, Air Compressor, 2 HP, 10 Gal.

- In front tongue box

(20 amp) Exterior GFI- On exterior front 18in. above shelf
(20 amp) Switch- On front wall 42in. AFF- See print
Electrical:

- Misc. Electrical*

Kenwood EDP Kenwood X series 4 channel amplifier X302-4 P/N 102531, (For the speakers) - (Need to run 4- gauge wire from the battery to the amplifier. (EMS-00218)- In overhead cabinet next to stereo

- Recept - 110V GFI Exterior - 20Amp

Recept - 110V GFI Exterior - 20Amp, ((USE WHITE BOXES)) Locations: (1) RS and (1) CS- 4ft. 11in. from rear- low and recessed, (1) CS 16ft. from rear just above speaker- 46in. down from top of sidewall- (Recessed with White interior cover)- See print

- Misc. Electrical*

Recept- Interior GFI- 20 amp, ((Each on separate breakers)), Location: (1) CS just behind front access door- 23in. AFF, (1) CS inside wheel box cabinet at front of cabinet- 28in. AFF, (1) CS in wheel box cabinet at rear of cabinet- 28in. AFF- See print

- Mini Split 18K BTU 2-Zone A/C with heat pump and (2) Heads

Mini Split 18K BTU 2-Zone A/C with heat pump and (2) Heads- Compressor Location: High on front wall inside tongue box- Backer required- See print
(2) Head location: (1) CS at rear, (1) RS just forward of end of platform- See print

- Electric Cord Reel

Electric Cord Reel
Location: CS 16in. from rear- 7ft. AFF-

- Motorbase Plug - 50Amp

Motorbase Plug - 50Amp- Location: On front at CS of tongue tubes- Low and recessed, See print.

- Panel Box - 100 Amp

Panel Box - 100 Amp- On front wall between base and overhead cabinet at CS- With cabinet to cover panel box-

- Recept - 110V Interior Duplex

Recept - 110V Interior Duplex- Location: (1) RS, (1) CS at Rear -18in. AFF, (1) CS Behind Side Door- 18in. AFF, (2) RS, (2) CS Spaced Evenly Over Base Cabinets- 42in.
AFF, (1) CS on front wall- 42in. AFF, (1) in RS overhead cabinet- 66in. AFF, (1) in CS overhead cabinet- 66in.
AFF, and (1) in front overhead cabinet- 66in. AFF- See prints (1), (3) and (4)

- Converter - 100 Amp w/ Fuse Panel

Converter - 100 Amp w/ Fuse Panel
100 amp converter with (fuse panel part # PD60) - (converter/ charger - Part # PM3-100LK) Location: - (1) On front wall in base cabinet as high as possible, (1) RS in base cabinet as high as possible
Frame:

- Misc. Frame*

Strap Sidewalls Rear of Platform, See prints (3) and (4)

- Misc. Frame*

Stinger remote control with power unit * This unit is already here*

- Reinforcement Fish Plating on the Outer 8" I-Beam

Reinforcement Fish Plating on the Outer 8" I-Beam
4ft. x 7.25in. x 3/16in. thick plate, 4ft. forward and 4ft. rearward of axle center on both R/S and C/S of trailer for 8in. I beam trailers.
Fish plate the plate to I beam.

- Skid Roller - Mount on Rear

Skid Roller - 4 1/2" - Mount on Rear
Weld to frame

- Winch Compartment - Recessed in Floor- Custom box (12in. x

12in. x 27in.)
Winch Compartment - Recessed in Floor Custom box (12in. x 12in. x 27in.)- ((No battery in this compartment))- (Cut box to make as shallow as needed)- See print

- Roof Bows - 12in On Center (No Charge)

Roof Bows - 12in On Center
NOTE: This trailer has 12in center roof bows.

- Platform-Car Deck/Storage

Platform-Car Deck/Storage- (16in. O.C.)
Location: 13ft. 4in. Platform Starting at Front and Go Rearward -
75in. From Floor to Bottom of Platform, See prints (1) and (7)
FINISH UNDERSIDE WITH SAME MATERIAL AS CEILING-

- Beavertail, Ramp Door, Spring & Flap - 4' Beavertail

Beavertail, Ramp Door, Spring & Flap - 4' Beavertail

- 4" Corner Posts
- Crossmembers - 16in o.c.
- Upgrade Wall Posts-Nascar Upright -16" O.C.
- Stinger Recessed Lift- 14ft. 4-post lift with snap together hose protector
- Stinger- Aluminum drop in center sections for 14ft. Lift

Hitch:

- 3" Pintle eye not adjustable
- Jack - EQ Dual Leg Hydraulic Jack Set 16K 24" stroke - Dual Hydraulic jacks (Tag only)
- 1' Extended Tongue w/ 3rd Member (1/4" Wall) - ((Upgraded to

8in. tube))
Interior:

- Misc Interior- Bright aluminum on walls between base cabinet

and overhead cabinet full length of cabinets- RS wall, CS wall,
and front wall,

- Wall- Black carpet on wall full height above platform. RS wall

and CS wall-Start at rear of platform and go forward to front
wall and on front wall- Color: Black

- Tie Downs - Recessed Airline L Track
- White Cove Trim
- J Rail for Cove Trim
- Insulated White Aluminum Ceiling
- Ladder - Aluminum Fold Up Ladder Upgrade
- Tie Downs - Heavy Duty D-Rings (Bolt-In)
- Floor Covering-Raised Small Coin Black
- Tie Downs E-Track -Recessed - trim out with smooth aluminum mill finish
- Extreme Upgrade - 3/4" Lite Plywood Floor
- Extreme Upgrade - White Aluminum Walls Over Upgraded 1/2" Lite Plywood
- Tie Downs - E-Track (Vertical) - Recessed

Exterior:

- Cast Corners - Polished (USH)
- Flare - 42in Single Wheel Flares- Polished
- Extreme Upgrade - 8in. Bottom Molding
- Roof - 24" X 24" Roof Escape Hatch (w/ Fixed Ladder and

Ladder Extension) Trailer must have Walk-On Roof Option

- Extreme Upgrade - Walk on Roof w/ 1/2" Lite Plywood
- Exterior Trim Mill
- Exterior color: .060 White aluminum- (No overflap)- Butt end to

end

12 Volt Electrical:

- Misc12V Electrical
- Diode for 14" Angled Scene Light
- Exterior Light - 14" Angled Scene Light - (Nova)
- Interior Light - 14" LED Hux Utility Light - Trailer must have a ceiling liner if installed on ceiling
- Stereo - W/ 4 Speakers - AM/FM/Bluetooth
- Stereo Speaker (Extra)
- Switch - 110V 3-way (for 12V Component)
- Switch - 110V Style Single (For 12V Component)
- 12v Battery & Box Interior (No Price)
- 6ft. LED Strip Light
- Switch - 110V Style Single (IPO Standard 12V Switch)
- Tail lights angle mounted on ramp door
- Extreme Upgrade - Exterior Clearance Lights
- 12V Recept - USB Charging Port W/ Wall Plate
- Exterior Light - LED Back Up (Docking) Light
- Exterior Light - LED Mid Ship Turn Signal (Amber)
- Exterior Light - LED Surface Mount Tail W/ Chrome Ring (Extra)
- Battery - 12V Deep Cycle w/ Box
- LED Clearance & Tail Lights For Entire Unit
- STD Exterior Light - LED Surface Mount Tail W/ Chrome Ring
- Fuse Panel Box PD60 - 18 Post Fuse Panel
- Misc. 12V Electrical*

Door:

- Misc. Door- 33in. x 13in. Top hinged access door with magnets

to hold open- Both doors CS spaced evenly just above wheel
box- For access to Wheel box cabinet- White with mill trim-
(DBAG-00365)-See print

- Std. Alum - Grab handle For Ramp Door
- Access Door - 30" x 30" - 400 Series Top-Hinged
- Ramp Flap - 4' Aluminum w/ Dock Bumpers (with 12 pieces traction tape)
- Rear Ramp Door - Heavier Ramp Door Double Spring
- STD. Recessed Camlocks (Rear door)
- Extreme Ramp Door Lite 3/4" Plywood

- RV Custom Door
- Std. Ramp door with 4' Beavertail
- Misc RV door- 48in. x 82in. 400 Series double RV door, right

hand door opens first, Color: White with Mill trim, (Part #DENT-00792)- (Upgrade from std double camlock doors)
Location: On generator compartment on front wall, See print #7

- Misc. Door- • 48in. wide x 21in. tall 400 Series top hinge RV door

with gas props, Color: White with mill trim -(Part# DENT-00792)-
On front of gen compartment at top-

- 24in. x 24in. top hinged access door- with magnets-(No props)-

(1) RS, (1) CS between axles level with floor- Color: White with mill trim

---