

Northwest Arkansas Trailers

Phone: +14799664388
4636 N College Ave
Fayetteville, Arkansas
Email: nwatrailers@gmail.com



2026 Top Hat Trailers Top Hat DO 14K 102"x 20' w/ 14ply Equipment Trailer

Type	Trailer or Truck Bed	Category	Equipment Trailer
Stock#	TH- DO14 102X20 14PLY	Location	Northwest Arkansas Trailers
Year	2026	Status	Available
Condition	New	Manufacturer	Top Hat Trailers
Model	Top Hat DO 14K 102"x 20' w/ 14ply	Floor Length	240in / 20ft
Floor Width	102in / 8ft 6in	GVWR	14000
Payload Capacity	14000	Axle Capacity	7000
Wheels	ST235/80R/16 LRG**14Ply** Tires on 8-Hole	Coupler	2-5/16 Adj Demco
Pull Type	Bumper	Axles	2
Suspension Type	Leaf Spring Suspension	Clearance Price	8250
Construction	Steel	Length	240in / 20ft
Brakes	Electric	Subtitle	Deck Over Equipment
Tires	ST235/80R/16 LRG Tires on 8-Hole **14Ply**	Width	102in / 8ft 6in
Floor	Treated Pine		

<https://www.nwatrailers.com/unit/2026-top-hat-trailers-top-hat-do-14k-102-x-20-w-14ply-equipment-trailer-999519>

Price: \$0.00

Sales Price: \$8,250.00

Description

Top Hat

I-Beam Deck-over Equipment

- 102" x 20'
 - 14K GVWR
 - Frame/Tongue Integrated 8" I-Beam
 - ST235/80R/16 LRG Tires on 8-Hole **14-PLY**
 - 2-7000# Dexter EZ-Lube Cambered
 - 2-5/16" DEMCO Easy Latch Adj 5/Position Coupler
 - Elec. Brake Axles
 - 12000# Drop Leg Jack
 - Treated Pine Floor
 - Break Away Unit w/Charger
 - Matching Spare Tire
 - Spare mount
 - Stake Pockets /Rubrail
 - Expanded Metal Tray in Tongue
 - Diamond tread-plate metal over tires
 - 6' Slide in Channel Ramps
-

Features

- Doors, Windows & Ramps
 - Slide In Ramps
- Exterior Features
 - Side Rails
 - Side Stake Pockets
 - Treated Wood Floor
- Jack & Coupler Features
 - 2 5/16" Coupler
 - 12K Drop Leg Jack
- Safety Convenience & Electrical
 - 7Way Plug
 - DOT Approved Lighting
 - Insulated Wire Harness
 - LED Lighting
 - Spare Tire Mount
- Wheels & Suspension Features
 - Break away Switch
 - 8 Hole Wheels
 - Cambered Spring Suspension
 - Electric Brake(s)
 - 14-PLY Tires and Spare
- Structural Features

- 8" I Beam Frame